



PRODUCT CATALOGUE

Volume - 2025

Bollards
Wall Luminaires
Spike Luminaires
Decorative Lights
Post Top Luminaires
Inground Luminaires
Facade/ Landscape Lighting
and more ...



INTRODUCTION

Founded in 2015, Amase has quickly established itself as a leading name in India's LED lighting industry, with a strong specialization in outdoor lighting solutions. With a focus on quality, innovation, and long-term performance, we design and manufacture a wide range of outdoor lighting products including wall lights, bollard lights, garden lights, and pole lights—each built to enhance architectural aesthetics while withstanding the toughest weather conditions.

What sets Amase apart is our strong in-house manufacturing ecosystem. We design and develop our own custom moulds, giving us complete control over the form, functionality, and finish of every product. Our dedicated surface treatment facility ensures each fixture meets the highest standards of durability, corrosion resistance, and outdoor performance.

At the heart of every Amase light is an efficient, high-quality power supply that ensures optimal energy usage, consistent illumination, and a longer product lifespan. This efficiency not only reduces power consumption but also enhances the reliability of each light across varied applications—from residential landscapes to commercial exteriors.

We believe that delivering great products is only half the job. That's why Amase is equally committed to providing the best after-sales service in the industry. Our support team, backed by a widespread network, ensures timely assistance and complete customer satisfaction long after installation.

With a strong foundation in design, technology, and service, Amase continues to lead the way in sustainable, high-performance outdoor lighting across India.



IS 15885
(Part 2/Sec 13):2012



R - 81004537
(BIS Drivers)



Contents



05

Outdoor LED Foot Lights



17

Indoor LED Wall Lights



07

Indoor LED Foot Lights



18

Outdoor LED Lawn Lights



08

Outdoor LED Wall Lights



34

Outdoor Gate Lights/ Wall Lights



13

Garden Spike Lights



36

Pendant Lamps



15

Inground LED Burial Lights



39

Outdoor LED Pole Lights





16

Outdoor LED Trick Lights

LED by:





AL 8080 - 4W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray




AL 8080 - 8W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray




AL 990 Square - 4W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium with Clear PC
 Body Color: Graphite Gray



AL 990 Round - 4W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium with Clear PC
 Body Color: Graphite Gray




AL 8401 Round - 3W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium, Toughened Glass with ABS Recess Box
 Body Color: Graphite Gray




AL 8401 Square - 3W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium, Toughened Glass with ABS Recess Box
 Body Color: Graphite Gray




AL 2911 - 3W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray



AL 9306 - 6W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium, PC Diffuser with ABS Recess Box
 Body Color: Graphite Gray



AL 33 - 3W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium, PC Diffuser with ABS Recess Box
 Body Color: Graphite Gray



AL 9081 - 3W
 Color Temperature : 3000K, 6000K
 Material: Die-casting Aluminium, Toughened Glass with Metal Recess Box
 Body Color: Graphite Gray

Outdoor LED Foot Lights



AL 3906-A - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, S.S. 304 Grade Laser cut Plate, PC Diffuser with ABS Recess Box
Body Color: Steel Finish




AL 3910-A - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, S.S. 304 Grade Laser cut Plate, PC Diffuser with ABS Recess Box
Body Color: Steel Finish



AL 3906-B - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, S.S. 304 Grade Laser cut Plate, PC Diffuser with ABS Recess Box
Body Color: Steel Finish



AL 3910-B - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, S.S. 304 Grade Laser cut Plate, PC Diffuser with ABS Recess Box
Body Color: Steel Finish



AL 3906-C - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, S.S. 304 Grade Laser cut Plate, PC Diffuser with ABS Recess Box
Body Color: Steel Finish



AL 3910-C - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, S.S. 304 Grade Laser cut Plate, PC Diffuser with ABS Recess Box
Body Color: Steel Finish



AL 3906-D - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, S.S. 304 Grade Laser cut Plate, PC Diffuser with ABS Recess Box
Body Color: Steel Finish



AL 3910-D - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, S.S. 304 Grade Laser cut Plate, PC Diffuser with ABS Recess Box
Body Color: Steel Finish




AL 3906-E - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, S.S. 304 Grade Laser cut Plate, PC Diffuser with ABS Recess Box
Body Color: Steel Finish



AL 3910-E - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, S.S. 304 Grade Laser cut Plate, PC Diffuser with ABS Recess Box
Body Color: Steel Finish




AL 3906-ENTRY - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, S.S. 304 Grade Laser cut Plate, PC Diffuser with ABS Recess Box
Body Color: Steel Finish



Cut Size: 126 x 75 x 70mm




AL 3910-EXIT - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, S.S. 304 Grade Laser cut Plate, PC Diffuser with ABS Recess Box
Body Color: Steel Finish



Cut Size: 80 x 80 x 45mm


Indoor LED Foot Lights



Cut Size: Ø50 x 55 mm


AL 26 A - 3W

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, PC Diffuser with metal recess box
Body Color: White



AL 25 Round - 3W


Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Metal Recess Box
Body Color: White



Cut Size: Ø50 x 55 mm

AL 26 B - 3W

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, PC Diffuser with metal recess box
Body Color: White



AL 25 Square - 3W


Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with metal recess box
Body Color: White



Cut Size: Ø50 x 55 mm

AL 26 C - 3W


Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, PC Diffuser with metal recess box
Body Color: White




Cut Size: Ø47 x 70 mm

AL 8090 - 3W

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, PC Diffuser with ABS recess Box
Body Color: White




Outdoor LED Wall Lights



AL 2004 - Square Lens
LED : 1x3W, 2x3W, 3x3W, 4x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Square Lens
Body Color: Graphite Gray




AL 2004 - Round Lens
LED : 1x3W, 2x3W, 3x3W, 4x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 4002 - Square Lens
LED : 2x3W, 1x3W, 2x5W, 1x5W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Square Lens
Body Color: Graphite Gray




AL 4002 - Round Lens
LED : 2x3W, 1x3W, 2x5W, 1x5W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Round Lens
Body Color: Graphite Gray




AL 881-2 Square
LED : 2X5W(COB)
Holder: 2xGU-10
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray



AL 881-2 Round
LED : 2X5W(COB)
Holder: 2xGU-10
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray



AL 881-1 Square
LED : 1X5W(COB)
Holder: 1xGU-10
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray



AL 881-1 Round
LED : 1X5W(COB)
Holder: 1xGU-10
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray




AL 880 - Surface Square
LED : 1X5W(COB)
Holder: 1xGU-10
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray




AL 880 - Surface Round
LED : 1X5W(COB)
Holder: 1xGU-10
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray


Outdoor LED Wall Lights




AL 9090 - 2x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 188 - 6W Wall Light
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 2509
LED : 4x3W, 4x1W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 246
LED : 2X1W
LED Color : Red, Green, Blue, Yellow
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray




AL 7010
LED : 2x3W, 1x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray, PKW



AL 246
LED : 4X1W
LED Color : Red, Green, Blue, Yellow
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray




AL 7020
LED : 4X3W, 4x1W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray



AL 246
LED : 6X1W
LED Color : Red, Green, Blue, Yellow
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray



AL 8091
LED : 1x3W, 1x5W(COB)
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray



AL 8091
LED : 2x3W, 2x5W(COB)
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray



AL 234 - 2x8W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



AL 234 - 2x6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



AL 432 - 2x8W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 432 - 2x6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 333 - 2x6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 4004 - 4x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



AL 6060 - 3x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray



AL 2054 - 2x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



AL 1033 - 6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 1034 - 8W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 642 - 2x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray



AL 1404 Surface - 6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 642 - 4x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray



AL 1404 - 1x6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 642 - 6x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray



AL 1404 - 2x6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 8910 - 12W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 4005 - 6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 882 - 5W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray



Wattage	Diameter	Height
2x12W	88mm	235mm
2x18W	88mm	355mm
2x24W	128mm	395mm
2x30W	128mm	450mm
2x40W	128mm	530mm

AL 1619 - 2

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Toughened Glass with Metalised Reflector
Body Color: Graphite Gray



Wattage	Width	Height
2x12W	90mm	220mm
2x24W	118mm	340mm
2x36W	118mm	420mm

AL 2610 - 2

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Toughened Glass with Metalised Reflector
Body Color: Graphite Gray



Wattage	Diameter	Height
1x12W	88mm	130mm
1x18W	88mm	220mm
1x24W	128mm	250mm
1x30W	128mm	280mm
1x40W	128mm	340mm

AL 1046 - 1

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Toughened Glass with Metalised Reflector
Body Color: Graphite Gray



Wattage	Width	Height
1x12W	90mm	120mm
1x24W	118mm	215mm
1x36W	118mm	275mm

AL 2610 - 1

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Toughened Glass with Metalised Reflector
Body Color: Graphite Gray



Wattage	Diameter	Height
12W	88mm	150mm
18W	88mm	235mm
24W	128mm	260mm
30W	128mm	270mm
40W	128mm	350mm

AL 1046 - Surface


Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Toughened Glass with Metalised Reflector
Body Color: Graphite Gray



Wattage	Width	Height
12W	90mm	125mm
24W	118mm	230mm
36W	118mm	290mm


AL 2610 - Surface

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Toughened Glass with Metalised Reflector
Body Color: Graphite Gray




AL 5100 - 7W

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector, Toughened Glass with ABS Spike
Body Color: Graphite Gray




AL 5100 - 12W

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector, Toughened Glass with ABS Spike
Body Color: Graphite Gray



AL 5100 Cap- 7W

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector, Toughened Glass with ABS Spike
Body Color: Graphite Gray



AL 5100 Cap- 12W

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector, Toughened Glass with ABS Spike
Body Color: Graphite Gray



AL 5100 Cap W/L- 7W

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray



AL 5100 Cap W/L- 12W

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector, Toughened Glass with ABS Spike
Body Color: Graphite Gray



AL 5100 W/L- 7W

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray



AL 5100 W/L- 12W


Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray

Garden Spike Lights



AL 4095 Spike

LED: 5W
Holder: GU-10, MR-16
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
Metalised Reflector with Toughened Glass
Body Color: Black



AL 4095 Cap Spike

LED: 5W
Holder: GU-10, MR-16
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
Metalised Reflector with Toughened Glass
Body Color: Black




AL 4095 Wall Light

LED: 5W
Holder: GU-10, MR-16
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
Metalised Reflector with Toughened Glass
Body Color: Black



AL 4095 Cap W/L

LED: 5W
Holder: GU-10, MR-16
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
Metalised Reflector with Toughened Glass
Body Color: Black



AL 4040- 7W

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised
Reflector, Toughened Glass with ABS Spike
Body Color: Graphite Gray




AL 207

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised
Reflector with Toughened Glass
Body Color: Black

Wattage	Diameter	Height
5W	63mm	100mm
10W	76mm	135mm
15W	88mm	173mm


In-Ground LED Burial Lights



Cut Size: Ø75 x 70 mm

AL 4050 - 1x1W


Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
PC Diffuser with ABS Recess Box
Body Color: Graphite Gray



Cut Size: Ø75 x 70 mm

AL 4050 - 2x1W


Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
PC Diffuser with ABS Recess Box
Body Color: Graphite Gray



Cut Size: Ø75 x 70 mm

AL 4050 - 4x1W


Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
PC Diffuser with ABS Recess Box
Body Color: Graphite Gray



Cut Size: Ø75 x 70 mm

AL 4050 - 3x1W

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
PC Diffuser with ABS Recess Box
Body Color: Graphite Gray



Cut Size: Ø106 x 105 mm

AL 5050 - 12W


Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, 302 Grade SS
Plate, Toughened Glass with ABS Recess Box
Body Color: Steel Finish



Cut Size: Ø85 x 93 mm

AL 5050 - 7W


Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, 302 Grade SS
Plate, Toughened Glass with ABS Recess Box
Body Color: Steel Finish




Cut Size: Ø40 x 72 mm

AL 8081 - 3W

Color Temperature : 3000K, 6000K
Material: S.S. 304 Grade, Optical Lens,
Toughened Glass with ABS Recess Box
Body Color: Steel Finish




Outdoor LED Trick Lights



AL 180 - 6W


Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray



AL 360 - 9W

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray

Outdoor Bulk-Head Lights




AL Prisma Vertical A

Holder: B-22
Material: Die-casting Aluminium with Frosted Glass
Body Color: Black




AL Prisma Horizontal B

Holder: B-22
Material: Die-casting Aluminium with Frosted Glass
Body Color: Black



AL Prisma Horizontal A

Holder: B-22
Material: Die-casting Aluminium with Frosted Glass
Body Color: Black



AL Prisma Vertical B

Holder: B-22
Material: Die-casting Aluminium with Frosted Glass
Body Color: Black

Indoor LED Wall Lights



AL 28 - 3

LED: 3X5W
Holder: GU-10
Material: Die-casting Aluminium with Toughened Glass
Body Color: White



AL 28 - 2

LED: 2X5W
Holder: GU-10
Material: Die-casting Aluminium with Toughened Glass
Body Color: White



AL 28 - 1

LED: 1X5W
Holder: GU-10
Material: Die-casting Aluminium with Toughened Glass
Body Color: White



AL 27 - 3

LED: 3X7W
Material: Die-casting Aluminium with PC Diffuser
Body Color: White



AL 27 - 2

LED: 2X7W
Material: Die-casting Aluminium with PC Diffuser
Body Color: White



AL 27 - 1

LED: 1X7W
Material: Die-casting Aluminium with PC Diffuser
Body Color: White



AL 29 - 3

LED: 3X6W
Material: Die-casting Aluminium with PC Diffuser
Body Color: White



AL 29 - 2

LED: 2X6W
Material: Die-casting Aluminium with PC Diffuser
Body Color: White



AL 29 - 1

LED: 1X6W
Material: Die-casting Aluminium with PC Diffuser
Body Color: White

Outdoor LED Wall Lights



AL 4400-3

LED: 3x12W
Material: Die-casting Aluminium with PC Diffuser
Body Color: Granite Gray



AL 4400-2

LED: 3x12W
Material: Die-casting Aluminium with PC Diffuser
Body Color: Granite Gray



AL 4400-1

LED: 3x12W
Material: Die-casting Aluminium with PC Diffuser
Body Color: Granite Gray



LED Lawn Lights




AL 2700 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 7200 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 2223 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 171-12W + Indicator-2W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



AL 1224 - 12W


Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 4400 - 12W


Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color : Granite Gray

LED Lawn Lights




AL 404 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Clear PC
Body Color: Graphite Gray




AL 505 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Clear PC
Body Color: Graphite Gray



AL 7711 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



AL 4545 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 188 - 6W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 188 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 6363 - 1x5W
 Colour Temperature : 3000K, 6000K
 Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass
 Body Color: Graphite Gray

AL 6363 - 2x5W
 Colour Temperature : 3000K, 6000K
 Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass
 Body Color: Graphite Gray




AL 8800 - 1x5W
 Colour Temperature : 3000K, 6000K
 Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass
 Body Color: Graphite Gray



AL 8800 - 2x5W
 Colour Temperature : 3000K, 6000K
 Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass
 Body Color: Graphite Gray




AL 2320-12W
 Colour Temperature : 3000K, 6000K
 Material : Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray




AL 6003 - 12W
 Colour Temperature : 3000K, 6000K
 Material : Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray

LED Lawn Lights




AL 1881 - 1x7W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

AL 1881 - 2x7W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 3688 - 1x5W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray


AL 3688 - 2x5W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray



AL 6464 - 1x5W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray


AL 6464 - 2x5W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray

LED Lawn Lights




AL 3500 - 12W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray

AL 3545 Wall Light - 12W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



AL 4041 - 5W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray


AL 4041 Wall Light - 5W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



AL 888 - 12W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

AL 888 - 12W - Wall Light
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

LED Lawn Lights




AL 6660 - 12W


Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

AL 6660 - 12W - Wall Light

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



LED Lawn Lights



AL 303 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



AL 303 - 12W - Wall Light

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 199

LED : 12 W
Holder : E-27
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 199 - Wall Light

LED : 12 W
Holder : E-27
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 3330 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 3330 - 12W - Wall Light

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



AL 202 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



AL 202 - 12W - Wall Light

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 2340

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 2323 - 12W - Wall Light


Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 3005
 Colour Temperature : 3000K, 6000K
 Material : Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray



AL 6030 - 12W - Wall Light
 Colour Temperature : 3000K, 6000K
 Material : Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray




AL 7080 - 12W
 Colour Temperature : 3000K, 6000K
 Material : Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray



AL 7081 - 12W - Wall Light
 Colour Temperature : 3000K, 6000K
 Material : Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray



AL 7080 - 12W - Wall Light
 Colour Temperature : 3000K, 6000K
 Material : Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray




AL 7070 - 12W
 Colour Temperature : 3000K, 6000K
 Material : Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray



AL 7071 - 12W - Wall Light
 Colour Temperature : 3000K, 6000K
 Material : Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray



AL 7070 - 12W - Wall Light
 Colour Temperature : 3000K, 6000K
 Material : Die-casting Aluminium with PC Diffuser
 Body Color: Graphite Gray



LED Lawn Lights



AL 270 Square
Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 270 Square - Wall Light
Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

AL 270 Square - Gate Light
Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 270 Round - Bollard
Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 270 Round - Wall Light
Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

AL 270 Round - Gate Light
Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 7299 - Bollard
Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 7299 - Wall Light
Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

AL 7299 - Gate Light
Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

LED Lawn Lights



AL 177
Holder : E-27
Material : Die-casting Aluminium, PC Diffuser
Toughened Glass
Body Color: Graphite Gray



AL 177 - Wall Light
Holder : E-27
Material : Die-casting Aluminium, PC Diffuser
Toughened Glass
Body Color: Graphite Gray



AL 178
Holder : E-27
Material : Die-casting Aluminium, PC Diffuser
with Toughened Glass
Body Color: Graphite Gray



AL 178 - Wall Light
Holder : E-27
Material : Die-casting Aluminium, PC Diffuser
with Toughened Glass
Body Color: Graphite Gray




AL 909 Bollard - 12W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Frosted PC Diffuser
Body Color: Silver & Black



AL 909 Wall Light - 12W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Frosted PC Diffuser
Body Color : Graphite Gray

LED Lawn Lights




AL 1122
Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 1122 - Small Gate Light
Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 1122 - Big Gate Light
Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 1123
Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 1123 - Small Gate Light
Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 1123 - Big Gate Light
Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 8802-10" - Gate Light
LED: 15W
Holder: E-27
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 8802-6" - Gate Light
LED: 12W
Holder: E-27
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray


LED Lawn Lights




AL 2007 - 12W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 2007 - 12W - 1x12W - Wall Light
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 2007 - 2x12W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 2007 - 2x12W - Wall Light
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 1213
Holder: E27
Material: Die-casting Aluminium, PC Diffuser
Body Color: Granite Gray



AL 2024 - 12W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



AL CRISS-CROSS
 10" - 12W
 20" - 18W
 30" - 24W
 Color Temperature : 3000K, 6000K
 Material : Die-casting Aluminium,
 Laser cut on Galvanised MS sheet with
 PC Diffuser
 Body Color : Black



AL MASE
 10" - 12W
 20" - 18W
 30" - 24W
 Color Temperature : 3000K, 6000K
 Material : Die-casting Aluminium,
 Laser cut on Galvanised MS sheet with
 PC Diffuser
 Body Color : Black



AL HONEYCOMB
 10" - 12W
 20" - 18W
 30" - 24W
 Color Temperature : 3000K, 6000K
 Material : Die-casting Aluminium,
 Laser cut on Galvanised MS sheet with
 PC Diffuser
 Body Color : Black



AL GALAXY
 10" - 12W
 20" - 18W
 30" - 24W
 Color Temperature : 3000K, 6000K
 Material : Die-casting Aluminium,
 Laser cut on Galvanised MS sheet with
 PC Diffuser
 Body Color : Black



AL ORBIT
 10" - 12W
 20" - 18W
 30" - 24W
 Color Temperature : 3000K, 6000K
 Material : Die-casting Aluminium,
 Laser cut on Galvanised MS sheet with
 PC Diffuser
 Body Color : Black



AL ZEBRA
 10" - 12W
 20" - 18W
 30" - 24W
 Color Temperature : 3000K, 6000K
 Material : Die-casting Aluminium,
 Laser cut on Galvanised MS sheet with
 PC Diffuser
 Body Color : Black



(mm)	Small	Medium	Big
Height	355	430	585
Width	155	190	265
P. Ø	50	60	75

SL 301 Gate Light
 Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: B-22 | Size: Small, Medium, Big



(mm)	Small	Medium	Big
Height	355	420	580
Width	155	190	265

SL 301 Wall Light
 Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: B-22 | Size: Small, Medium, Big



(mm)	Small	Medium	Big
Height	350	385	500
Width	195	220	265
P. Ø	50	60	75

SL 999 Gate Light
 Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: B-22 | Size: Small, Medium, Big



(mm)	Small	Medium	Big
Height	350	385	500
Width	195	220	265

SL 999 Wall Light
 Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: B-22 | Size: Small, Medium, Big



(mm)	Small	Big
Height	400	520
Width	205	295
P. Ø	60	75

SL 201 Gate Light
 Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: B-22 | Size: Small, Medium, Big



(mm)	Small	Big
Height	390	510
Width	205	295

SL 201 Wall Light
 Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: B-22 | Size: Small, Big



(mm)	Small	Big
Height	230	390
Width	140	180
P. Ø	50	60

SL 444 Gate Light
 Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: B-22 | Size: Small, Big



(mm)	Small	Big
Height	240	380
Width	140	180

SL 444 Wall Light
 Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: B-22 | Size: Small, Big



(mm)	Small	Medium	Big
Height	320	440	675
Width	210	260	320

SL 501 Gate Light
 Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: B-22 | Size: Small, Medium, Big



(mm)	Small	Medium	Big
Height	320	395	580
Width	210	260	320

SL 501 Wall Light
 Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: B-22 | Size: Small, Medium, Big



(mm)	Dimension
Height	320
Width	155
P. Ø	50

SL 7072 Gate Light
 Material: Die-casting Aluminium with Frosted Glass
 Body Color: Black
 Holder: E-27



SL 7072 Wall Light
 Material: Die-casting Aluminium with Frosted Glass
 Body Color: Antique
 Holder: E-27



AL 1211
Size: 12", 15", 17", 19.5", 24"



AL 1210
Size: 12", 14", 16"



AL 1010
Size: 12", 14", 16"



AL 1011



AL 1212



AL 8010



AL 8008



AL 8100



AL 1406



AL 7015



AL 7500

Wattage	Diameter	Height
12W	Ø100mm	300mm
18W	Ø100mm	450mm
24W	Ø100mm	600mm



AL 306

Wattage	Diameter	Height
5W	Ø63mm	245mm
10W	Ø76mm	270mm
15W	Ø88mm	295mm



AL 7600

Wattage	Diameter	Height
12W	Ø75mm	300mm
18W	Ø75mm	450mm
24W	Ø75mm	600mm

LED Shelf Lights



AL 555 - 3W

Material: Die-casting Aluminium with PC Diffuser
Body Color: Black
Size: 10cm, 20cm, 30cm




SL 7072 Hanging Light






Outdoor LED Pole Lights




AL 83038 Rd. Head

LED: 50W, 100W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC
Diffuser
Body Color: Graphite Gray




AL 83038 Round Gate Light

LED: 50W, 100W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC
Diffuser
Body Color: Graphite Gray



AL 83038 Square Head

LED: 50W, 100W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC
Diffuser
Body Color: Graphite Gray



AL 83038 Square Gate Light

LED: 50W, 100W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC
Diffuser
Body Color: Graphite Gray

Outdoor LED Post Top Lights



Wattage	A	B
12W	Ø225mm	330mm
20W	Ø272mm	390mm
30W	Ø340mm	430mm
40W	Ø444mm	540mm

AL 3499

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, PC Diffuser
Body Color: Black



Wattage	A	B
12W	Ø225mm	330mm
20W	Ø272mm	390mm
30W	Ø340mm	430mm
40W	Ø444mm	540mm

AL 3488

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, PC Diffuser
Body Color: Black




AL 83038 Round

LED: 50W, 100W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC
Diffuser
Body Color: Graphite Gray




AL 83038 Square

LED: 50W, 100W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC
Diffuser
Body Color: Graphite Gray




CRISS-CROSS - 80W

Color Temperature : 3000K, 6000K
 Material : Laser cut on Galvanised MS Sheet with PC Diffuser
 Body Color: Graphite Gray




CRISS-CROSS - 40W

Color Temperature : 3000K, 6000K
 Material : Laser cut on Galvanised MS Sheet with PC Diffuser
 Body Color: Graphite Gray




GALAXY - 80W

Color Temperature : 3000K, 6000K
 Material : Laser cut on Galvanised MS Sheet with PC Diffuser
 Body Color: Graphite Gray




MASE - 40W

Color Temperature : 3000K, 6000K
 Material : Laser cut on Galvanised MS Sheet with PC Diffuser
 Body Color: Graphite Gray




MASE - 80W

Color Temperature : 3000K, 6000K
 Material : Laser cut on Galvanised MS Sheet with PC Diffuser
 Body Color: Graphite Gray




MASE - 40W

Color Temperature : 3000K, 6000K
 Material : Laser cut on Galvanised MS Sheet with PC Diffuser
 Body Color: Graphite Gray




HONEY COMB - 80W

Color Temperature : 3000K, 6000K
 Material : Laser cut on Galvanised MS Sheet with PC Diffuser
 Body Color: Graphite Gray




HONEY COMB - 40W

Color Temperature : 3000K, 6000K
 Material : Laser cut on Galvanised MS Sheet with PC Diffuser
 Body Color: Graphite Gray




ORBIT - 80W

Color Temperature : 3000K, 6000K
 Material : Laser cut on Galvanised MS Sheet with PC Diffuser
 Body Color: Graphite Gray




ORBIT - 40W

Color Temperature : 3000K, 6000K
 Material : Laser cut on Galvanised MS Sheet with PC Diffuser
 Body Color: Graphite Gray




AL 7711 - 30W 113mm

Color Temperature : 3000K, 6000K
 Material : Galvanised MS Pole & Toughened Glass
 Body Color: Graphite Gray




AL 7711 - 50W 140mm

Colour Temperature : 3000K, 6000K
 Material : Galvanised MS Pole & Toughened Glass
 Body Color: Graphite Gray




AL 2545-1X30W

Color Temperature : 3000K, 6000K
 Material : Die-Casting Aluminium, Metalised Reflector with Toughened Glass & Galvanised MS Pole
 Body Color: Graphite Gray




AL 2545-2X30W

Color Temperature : 3000K, 6000K
 Material : Die-Casting Aluminium, Metalised Reflector with Toughened Glass & Galvanised MS Pole
 Body Color: Graphite Gray




AL 7722 - 60W 113mm

Color Temperature : 3000K, 6000K
 Material : Galvanised MS Pole, Toughened Glass with PC Diffuser
 Body Color: Graphite Gray




AL 7723 - 60W 140mm

Colour Temperature : 3000K, 6000K
 Material : Galvanised MS Pole, Toughened Glass with PC Diffuser
 Body Color: Graphite Gray




AL 7545-2X30W + 40W Diffuser

Colour Temperature : 3000K, 6000K
 Material : Die-Casting Aluminium, Metalised Reflector with Toughened Glass & Galvanised MS Pole with PC Diffuser
 Body Color: Graphite Gray




AL 7545-1x30W + 40W Diffuser

Colour Temperature : 3000K, 6000K
 Material : Die-Casting Aluminium, Metalised Reflector with Toughened Glass & Galvanised MS Pole with PC Diffuser
 Body Color: Graphite Gray




AL 4530 - 36W

Colour Temperature : 3000K, 6000K
 Material : Galvanised MS Pole with Toughened Glass
 Body Color: Graphite Gray



AL 4545 - 36W

Colour Temperature : 3000K, 6000K
 Material : Galvanised MS Pole with Toughened Glass
 Body Color: Graphite Gray




AL 4525-2X30W

Colour Temperature : 3000K, 6000K
 Material : Die-Casting Aluminium, Metalised Reflector with Toughened Glass & Galvanised MS Pole
 Body Color: Graphite Gray




AL 4525-1X30W

Colour Temperature : 3000K, 6000K
 Material : Die-Casting Aluminium, Metalised Reflector with Toughened Glass & Galvanised MS Pole
 Body Color: Graphite Gray




AL 4565 - 60W

Colour Temperature : 3000K, 6000K
 Material : Galvanised MS Pole with PC Diffuser
 Body Color: Graphite Gray




ZEBRA - 40W

Colour Temperature : 3000K, 6000K
 Material : Laser cut on Galvanised MS Sheet with PC Diffuser
 Body Color: Graphite Gray




AL 2340 - 60W
 Colour Temperature : 3000K, 6000K
 Material : Galvanised MS Pole with PC Diffuser
 Body Color: Graphite Gray




AL 2320 - 36W
 Colour Temperature : 3000K, 6000K
 Material : Galvanised MS Pole with PC Diffuser
 Body Color: Graphite Gray




AL 777 40W + 60W Diffuser
 Colour Temperature : 3000K, 6000K
 Material : Galvanised MS, Aluminium Extruded Pole with PC Diffuser
 Body Color: Graphite Gray




AL 377 - 30W
 Colour Temperature : 3000K, 6000K
 Material : Galvanised MS Pole
 Body Color: White + Graphite Gray




AL 3005 - 60W
 Colour Temperature : 3000K, 6000K
 Material : Galvanised MS Pole with PC Diffuser
 Body Color: Graphite Gray



AL 6003 - 36W
 Colour Temperature : 3000K, 6000K
 Material : Galvanised MS Pole with PC Diffuser
 Body Color: Graphite Gray



AL 8899 - 36W
 Colour Temperature : 3000K, 6000K
 Material : Galvanised MS Pipe with Toughened Glass
 Body Color: Graphite Gray



AL 9999 - 80W + 48W Diffuser
 Colour Temperature : 3000K, 6000K
 Material : Laser cut on Galvanised MS Sheet with PC Diffuser & Metalised Reflector and Toughened Glass
 Body Color: Graphite Gray




Amase Lighting Enterprises

Office: 487 (SRS-73) National Market, Peeragarhi,
New Delhi-110087

Works: H-300-301, RIICO Industrial Area Karoli, Bhiwadi, Rajasthan
www.amaseled.com

Authorised Distributor



AEROGRAPHICS - 9212381015

