



AIR COOLERS CATALOGUE

COOLING HOMES, COMFORTING LIVES SINCE 1983

LAZER INDIA PVT. LTD.

Lazer Air Cooler

Lazer India Coolers are designed for those customers who demand the best, stylish, powerful, efficient, and innovative products. Since 1983, Lazer has been manufacturing air coolers. With the technology advancement, Lazer air cooler featured Honeycomb three-way circulation, motorized louvers, air deflection in four directions, auto valves, for tension-free water filling and uninterrupted operation on all kinds of inverter, ensuring the air quality, product durability and cool environment. Lazer India Presents a range of air coolers including Desert, Personal, Window and Industrial Air coolers with capacities ranging from 15 liters to 140 liters. Its portable design and caster wheels make it easy to move around, providing cooling wherever it is needed.

Combination of modern aesthetic and practical features, provide efficient and eco-friendly relief from the heat. Experience a breath of fresh air with Lazer Air Cooler- Where innovation meets cool comfort, setting the stage of a cooler, greener tomorrow.

Where Fresh Air Meets Innovation



DESERT AIR COOLER

PIONEER

AVAILABLE IN : 110 | 75 LITRE



Ideal for

Indoor

Outdoor



Cafe

Office



Anti-Bacterial honeycomb pad



Automatic vertical louver movement



43ft air throw distance



Power-packed sturdy fan motor



Large 18 inch fan blade for better cooling



Powerful aerodynamic air delivery



Fully collapsible louver



Cellulose honeycomb cooling media



Inverter compatible



Warranty on motor



Warranty on product

ATLAS

AVAILABLE IN : 95 LITRE



DESERT AIR COOLER



Ideal for

Indoor	Outdoor
Cafe	Office



Aerodynamically profiled wider blade for powerful air throw



Automatic vertical louver movement



Water level indicator



3 Speed controllers



Powerful motor for superior performance



Powerful air thrust



Thick cellulose honeycomb cooling media



55 ft air throw distance



Warranty on motor



Warranty on product



DESERT AIR COOLER

ESKIMO

AVAILABLE IN : 90 | 70 LITRE



Ideal for

Indoor



Cafe

Outdoor



Office



Large cooling pads for efficient cooling



Automatic vertical louver movement



Power-packed sturdy fan motor



Multi-directional lock-type castor wheel



Powerful aerodynamic air delivery



55 ft air throw distance



Cellulose honeycomb cooling media



Hi-Gloss Polymer body



Inverter compatible



Warranty on motor



Warranty on product

ATLANTIC

AVAILABLE IN : 100 LITRE



DESERT AIR COOLER



Ideal for

Indoor	Outdoor
Cafe	Office



Large front grill for more air



Automatic vertical louver movement



Power-packed sturdy fan motor



Multi-directional lock-type castor wheel



Noiseless cooling



Inverter compatible



Warranty on motor



Warranty on product



18" aerodynamically profiled metal blade



55 ft air throw distance



Cellulose honeycomb cooling media



Ice chamber

DESERT AIR COOLER

ALPINE NEO

AVAILABLE IN : 105 | 85 LITRE



Ideal for

Indoor



Outdoor



Cafe



Office



USB ports for mobile phone charging



Automatic vertical louver movement



52 ft air throw distance



Power-packed sturdy fan motor



USB Led night lamp



Powerful aerodynamic air delivery



Double ball bearing ball



Cellulose honeycomb cooling media



Inverter compatible



Warranty on motor



Warranty on product

GLACIER NEO

AVAILABLE IN : 60 LITRE

LAZER
SIMPLIFY LIVING

DESERT AIR COOLER



Ideal for

Indoor	Outdoor
Cafe	Office



LED display



Automatic vertical louver movement



Power-packed sturdy fan motor



Multi-directional lock-type castor wheel



Hi-Gloss polymer body



45 ft air throw distance



Cellulose honeycomb cooling media



Ice chamber



Inverter compatible



Warranty on motor



Warranty on product



DESERT AIR COOLER

HYBRID-X

AVAILABLE IN : 90 | 70 LITRE



Ideal for

Indoor	Outdoor
Cafe	Office



Large cooling pads for efficient cooling



Automatic vertical louver movement



Power-packed sturdy fan motor



Multi-directional lock-type castor wheel



4 Way air deflection



48 ft air throw distance



Double ball bearing ball



Ice chamber



30% chilled cooling with hybrid pads.



Inverter compatible



Warranty on motor



Warranty on product

NIMBUS

AVAILABLE IN : 90 | 70 LITRE

LAZER
SIMPLIFY LIVING

DESERT AIR COOLER



Ideal for

Indoor	Outdoor
Cafe	Office



Large Ice Chamber with glass top



Automatic vertical louver movement



Power-packed sturdy fan motor



Multi-directional lock-type castor wheel



Noiseless cooling



55 | 45 ft air throw distance



Fully collapsible louver



Powerful aerodynamic air delivery



Reverse mounted motor to protect from water damage



Inverter compatible



Warranty on motor



Warranty on product



DESERT AIR COOLER

CHILLER

AVAILABLE IN : 90 | 72 LITRE



Ideal for

Indoor



Outdoor



Cafe



Office



Green cooling



Automatic vertical louver movement



Power-packed sturdy fan motor



Multi-directional castor wheel



Highly efficient pine wood wool cooling pads



45 ft air throw distance



Water level indicator



Powerful aerodynamic air delivery



Inverter compatible



Warranty on motor



Warranty on product

FROST NEO

AVAILABLE IN : 80 | 60 LITRE

LAZER
SIMPLIFY LIVING

DESERT AIR COOLER



Ideal for

Indoor	Outdoor
Cafe	Office



Powerful aerodynamic air delivery



Automatic vertical louver movement



Power-packed sturdy fan motor



Multi-directional lock-type castor wheel



Noiseless cooling



45 ft air throw distance



Highly efficient pine wood wool cooling pads



Ice chamber



Inverter compatible



Warranty on motor



Warranty on product



MINI DESERT & PERSONAL AIR COOLERS

These compact coolers are the solution for scorching summers which provides comfort in compact spaces. Powerful aerodynamic air delivery makes it ideal for small offices and rooms. Light weight engineered plastic body and castor wheels make its movement easy and user friendly.



BUDDY

AVAILABLE IN : 60 | 40 LITRE



MINI DESERT AIR COOLER



Ideal for

Indoor	Outdoor
Cafe	Office



Large cooling pads for efficient cooling



Automatic vertical louver movement



Power-packed sturdy fan motor



Multi-directional castor wheel



Inverter compatible



Warranty on motor



Warranty on product



Powerful aerodynamic air delivery



23 ft air throw distance



Cellulose honeycomb cooling media



MINI DESERT AIR COOLER

NIMBUS

AVAILABLE IN : 40 LITRE



Ideal for

Indoor



Cafe

Outdoor



Office



Large Ice Chamber with glass top



Automatic vertical louver movement



Power-packed sturdy fan motor



Multi-directional lock-type castor wheel



Noiseless cooling



35 ft air throw distance



Fully collapsible louver



Powerful aerodynamic air delivery



Reverse mounted motor to protect from water damage



Inverter compatible



2 YEARS
Warranty on motor



1 YEAR
Warranty on product

SNOWMAN

AVAILABLE IN : 50 | 35 LITRE

LAZER
SIMPLIFY LIVING

MINI DESERT AIR COOLER



Ideal for

Indoor	Outdoor
Cafe	Office

- Large Ice chamber
- Powerful aerodynamic air delivery

- Automatic vertical louver movement
- USB Led night lamp

- Power-packed sturdy fan motor
- Cellulose honeycomb cooling media

- Multi-directional lock-type castor wheel
- 25 ft air throw distance

- Inverter compatible
- 2 YEARS Warranty on motor
- 1 YEAR Warranty on product

PERSONAL AIR COOLER

ARCTIC NEO

AVAILABLE IN : 35 LITRE



Ideal for

Indoor



Outdoor



Cafe



Office



Fully collapsible louver



Automatic vertical louvre movement



Power-packed sturdy fan motor



Multi-directional castor wheel



Powerful aerodynamic air delivery



Low power consumption



Cellulose honeycomb cooling media



35 ft air throw distance



Noiseless cooling



Inverter compatible



2 YEARS Warranty on motor



1 YEAR Warranty on product

TANGO-XL / TANGO

AVAILABLE IN : 40 | 25 | 15 LITRE



PERSONAL AIR COOLER



Ideal for

Indoor 	Outdoor
Cafe 	Office

Power-packed sturdy fan motor

Automatic vertical louver movement

Water level indicator

Multi-directional castor wheel (40 L & 25 L)

Powerful aerodynamic air delivery

Low power consumption

Cellulose honeycomb cooling media

26 ft | 15 ft air throw distance



Inverter compatible



Warranty on motor



Warranty on product



PERSONAL AIR COOLER

MINI STORM

AVAILABLE IN : 45 LITRE



Ideal for

Indoor



Outdoor



Cafe



Office



Power-packed sturdy fan motor



Automatic vertical louver movement



Powerful air thrust



Multi-directional castor wheel



Robust construction



30 ft air throw distance



Water level indicator



Powerful aerodynamic air delivery



Inverter compatible



Warranty on motor



Warranty on product

WINDOW COOLER

Window air coolers are designed to cool indoor spaces by using the natural process of water evaporation. These coolers are best suited in the region of low humidity conditions where traditional air cooling might be less effective.

*Perfect solution for
Narrow space hurdle..*



WINDOW AIR COOLER

ICE NEO

AVAILABLE IN : 60 LITRE



Ideal for

Indoor	Outdoor
Cafe	Office



Power-packed sturdy blower motor



Automatic vertical louver movement



Water level indicator



3 Speed controllers



Powerful air thrust



Ice chamber



Highly efficient pine wood wool cooling pads



35 ft air throw distance



Auto water refill system



Inverter compatible



Warranty on motor



Warranty on product

ICE BERG

AVAILABLE IN : 52 LITRE

WINDOW AIR COOLER

LAZER
SIMPLIFY LIVING



Trolley also available
at extra cost

Ideal for

Indoor

Outdoor



Cafe

Office



Power-packed
sturdy blower
motor



Automatic
vertical louver
movement



Water
level
indicator



3 Speed
controllers



Powerful
air thrust



Green
cooling



Highly efficient
pine wood wool
cooling pads



35 ft air
throw
distance



Inverter
compatible



Warranty
on motor



Warranty
on product



COMMERCIAL AIR COOLERS





Powerful motor for rugged performance



Robust construction



Powerful air thrust



Master of the Cooling revolution..

COMMERCIAL AIR COOLER

WIND STORM 20

AVAILABLE IN : 130 LITRE



Ideal for

Indoor	Outdoor
Cafe	Office



Aerodynamically profiled wider blade for powerful air throw



Robust construction



Water level indicator



3 Speed controllers



Powerful motor for superior performance



Automatic uniform oscillation



Thick cellulose honeycomb cooling media



65 ft air throw distance



Warranty on motor



Warranty on product

SNOW STORM 19

AVAILABLE IN : 120 LITRE

LAZER
SIMPLIFY LIVING

COMMERCIAL AIR COOLER



Ideal for

Indoor	Outdoor
Cafe	Office



Aerodynamically profiled wider blade for powerful air throw



Double ball bearing



Robust construction



3 Speed controllers



Powerful motor for superior performance



Powerful air thrust



Thick cellulose honeycomb cooling media



65 ft air throw distance



Uniform Oscillation



Warranty on motor



Warranty on product



COMMERCIAL AIR COOLER

MEGA STORM 22

AVAILABLE IN : 150 | 100 LITRE



Ideal for

Indoor



Cafe

Outdoor



Office



Aerodynamically profiled wider blade for powerful air throw



Multi-directional lock-type heavy castor wheel



Water level indicator



3 Speed controllers



Powerful motor for superior performance



Powerful air thrust



Thick cellulose honeycomb cooling media
+100 mm+



70 ft air throw distance



Robust construction



Warranty on motor
2 YEARS



Warranty on product
1 YEAR

DESERT STORM PLUS 20

AVAILABLE IN : 110 LITRE



COMMERCIAL AIR COOLER



Ideal for

Indoor	Outdoor
Cafe	Office



Large cooling pads for efficiency



Multi-directional castor wheel



Robust construction



Fully collapsible louver



Copper & CCA motors are both available



Uniform Oscillation



Warranty on motor



Warranty on product



Powerful motor for superior performance



Powerful aerodynamic air delivery



Thick cellulose honeycomb cooling media



60 ft air throw distance



DESERT STORM 24

AVAILABLE IN : 130 LITRE



Ideal for

Indoor



Cafe

Outdoor



Office



Aerodynamically profiled wider blade for powerful air throw



Double ball bearing



Water level indicator



3 Speed controllers



Powerful motor for superior performance



Powerful air thrust



Thick cellulose honeycomb cooling media



70 ft air throw distance



Warranty on motor



Warranty on product

DESERT STORM 20

AVAILABLE IN : 100 LITRE



COMMERCIAL AIR COOLER



Ideal for

Indoor	Outdoor
Cafe	Office



Aerodynamically profiled wider blade for powerful air throw



Double ball bearing



Water level indicator



3 Speed controllers



Thick cellulose honeycomb cooling media



65 ft air throw distance



Powerful motor for superior performance



Powerful air thrust



Warranty on motor



Warranty on product



SEMI COMMERCIAL AIR COOLER

THUNDER STORM 18

AVAILABLE IN : 100 LITRE



Ideal for

Indoor



Cafe

Outdoor



Office



Aerodynamically profiled wider blade for powerful air throw



Double ball bearing



Water level indicator



3 Speed controllers



Powerful motor for superior performance



Powerful air thrust



Thick cellulose honeycomb cooling media



60 ft air throw distance



Warranty on motor




Warranty on product

HAIL STORM 17

AVAILABLE IN : 100 LITRE

LAZER
SIMPLIFY LIVING

SEMI COMMERCIAL AIR COOLER



Large cooling pads for efficient cooling



Multi-directional lock type castor wheel



Robust construction



3 Speed controllers



Powerful motor for superior performance



Powerful aerodynamic air delivery



Thick cellulose honeycomb cooling media



50 ft air throw distance



Warranty on motor



Warranty on product



AIRCOOLER TYPE		Desert	Desert	Desert	Desert	Desert	Desert	
FEATURE	PARAMETERS	PIONEER	ATLAS	ESKIMO	ATLANTIC	ALPINE NEO	GLACIER NEO	
Comfort & Controls	Mode of Operation	Manual	Manual	Manual	Manual	Manual	Manual	
	Fully Collapsible Louvers	Y	Y	—	—	—	—	
	Cord winding station at Rear	—	—	Y	—	Y	—	
	Mosquito Net/ Dust Filter	—	—	—	—	—	—	
	Timer	—	—	—	—	—	—	
	Water Level Indicator	Y	Y	Y	Y	Y	Y	
	Remote	—	—	—	—	—	—	
	USB Charger	—	—	—	—	Y	—	
	Night Lamp	—	—	—	—	Y	—	
	Castor Wheel	Y	Y	Y	Y	Y	Y	
	Inverter Compatible	Y	Y	Y	Y	Y	Y	
	Cooling Media	Honeycomb (3 Side)	Honeycomb (3 Side)	Honeycomb (3 side)	Honeycomb (3 side)	Honeycomb (3 side)	Honeycomb (3 side)	
	3-Speed Control	Y	Y	Y	Y	Y	Y	
	Auto Swing	Y	Y	Y	Y	Y	Y	
	Ice Chamber	—	—	—	Y	Y	Y	
	Auto Water Refill System	—	—	Y	Y	—	Y	
	Air Deflection	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way	
Vertical Louver Movement	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised		
Horizontal Louver Movement	Manual	Manual	Manual	Manual	Manual	Manual		
Technical	Tank Capacity (L)	75 Ltr. / 110 ltr.	95 Ltr.	90/ 70 Ltr.	100 Ltr.	105 / 85 Ltr.	60 Ltr.	
	Mode of Air Circulation	Fan	Fan	Fan	Fan	Fan	Fan	
	Fan Blade Material	Plastic (ABS Black)	Plastic (PP Glass Fill)	Plastic (PP)	Metal	Plastic (ABS)	Plastic	
	Fan Blade/ Blower Size (in Inch)	18	17	16	18	16	16	
	Rated Voltage	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50 Hz	230V/50Hz	
	Rated Power (W)	200 W	220 W	200 W	200 W	200W	200W	
	Speed (RPM)	1350	1350	1350	1350	1400	1350	
	Motor type	TOP	TOP	Non TOP	Non TOP	TOP	Non TOP	
	Fan Motor Capacitor	4 Mfd	4 MFD	5 MFD	5.0 MFD	5.0 MFD	5.0 MFD	
	Fan Motor Rotation	Anti-Clockwise	Clockwise	Clockwise	Anti-Clockwise	Clockwise		
	Air Delivery (m3/h)	5800 (m3/h)	5200 (m3/h)	5400 (m3/h)	6000 (m3/h)	4900 (m3/h)	4500 (m3/h)	
	Air Throw Distance (Ft)	43 Ft.	55 Ft	55 Ft.	55 Ft.	52 Ft.	45 Ft.	
	Pump Type	Conciend with TOP	Conciend with TOP	Non Conciend with TOP	Non Conciend Non TOP	Conciend with TOP	Conciend Without TOP	
	Pump Watt (W)	20 W	16 W	18 W	18 W	16 W	16 W	
	Product Dimension (In mm)	Length	650	660	660	680	640	610
		Width	480	510	510	540	500	530
		Height	1200 /1340	1230/ 1130	1240	1270 /1220	1000	
Warranty	Product Warranty	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	
	Fan / Blower Motor Warranty	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months	

#WARRANTY

This LAZER Air Cooler is fully warranted against any defect arising out of defective materials or faulty workmanship for a period of 12 months on product from the dated of purchase. An additional 12 months warranty on fan motor shall also be provided on successful warranty registration of product by scanning the QR Code available on product / warranty card / box. In case of any defect, do make a call on our, Customer care Help-line No.: 011-40237777 and we will send our engineer at your place for repairing. The warranty is valid only when:

- The appliance has been installed, used and maintained in accordance with the instruction manual.
- The warranty card and cash memo are filled and duly signed by the authorized dealer and are presented with the complaint
- The appliance has not been opened and tampered with, by any unauthorized person.

This warranty does not apply for:

Damages due to chipping, peeling, plating and denting.

Breakage or damage to components made out of Bakelite, Urea, ABS, SAN and such plastic materials, rubber parts and cord. Normal wear and tear of parts.

Change in factory settings of the product.

Damage resulting from accident, mishandling or negligence on part of the customer. Serial No. is deleted or altered on the product.

Fire, flood and other acts of god.

AIRCOOLER TYPE		Desert	Desert	Desert	DESERT	MINI DESERT	MINI DESERT	
FEATURE	PARAMETERS	HYBRID X	NIMBUS	Chiller	Frost Neo	BUDDY	NIMBUS	
Comfort & Controls	Mode of Operation	Manual	Manual	Manual	Manual	Manual	Manual	
	Fully Collapsible Louvers	—	Y	—	—	Y	Y	
	Cord winding station at Rear	—	—	—	—	—	—	
	Mosquito Net/ Dust Filter	—	—	—	—	—	—	
	Timer	—	—	—	—	—	—	
	Water Level Indicator	Y	Y	Y	Y	Y	Y	
	Remote	—	—	—	—	—	—	
	USB Charger	—	—	—	—	—	—	
	Night Lamp	—	—	—	—	—	—	
	Castor Wheel	Y	Y	Y	Y	Y	Y	
	Inverter Compatible	Y	Y	Y	Y	Y	Y	
	Cooling Media	Honeycomb & Woodwool (3 side)	Honeycomb (3 side)	WOOD WOOL(3 SIDE)	Woodwool (3 side)	Honeycomb (3 Side)	Honeycomb (3 side)	
	3-Speed Control	Y	Y	Y	Y	Y	Y	
	Auto Swing	Y	Y	Y	Y	Y	Y	
	Ice Chamber	Y	Y	—	Y	—	Y	
	Auto Water Refill System	—	—	—	—	—	—	
	Air Deflection	4 Way	4 Way	4way	4 Way	4 Way	4 Way	
	Vertical Louver Movement	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	
	Horizontal Louver Movement	Manual	Manual	Manual	Manual	Manual	Manual	
Technical	Tank Capacity (L)	90 / 70 Ltr.	70/90 Ltr.	72 Ltr. /90 Ltr.	60 Ltr. / 80 Ltr.	40 Ltr. /60 Ltr.	40 Ltr.	
	Mode of Air Circulation	Fan	Fan	Fan	Fan	Fan	Fan	
	Fan Blade Material	Plastic (ABS)	Plastic (PP)	Plastic	Plastic (ABS Black)	Plastic (ABS Black)	Plastic (PP)	
	Fan Blade/ Blower Size (in Inch)	16	16 /17	16	15	14	11	
	Rated Voltage	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50HZ	230V/50Hz	
	Rated Power (W)	200W	1	200 W	200 w	140 W	130	
	Speed (RPM)	1350	1	1350	1350	1400	2350	
	Motor type	TOP	TOP/TOP	Non TOP	Non TOP	TOP	Non TOP	
	Fan Motor Capacitor	5.0 MFD	3.0/5.0 MFD	5 Mfd	5.0 MFD	2.5 MFD	2.5 MFD	
	Fan Motor Rotation	Clockwise	Clockwise	Clockwise	Clockwise	Anti-Clockwise	Anti-Clockwise	
	Air Delivery (m3/h)	4600 (m3/h)	4500/5200 (m3/h)	4500 (m3/h)	3800 (m3/h)	3000 (m3/h)	3000(m3/h)	
	Air Throw Distance (Ft)	48 Ft.	45Ft./55 Ft.	45 Ft.	45 Feet	23 Ft.	35Ft.	
	Pump Type	Conciold with TOP	Conciold with TOP/Conciold with TOP	Non Concealed	Non Conciold Non TOP	Conciold with TOP	Non Conciold with TOP	
	Pump Watt (W)	16 W	14/16 W	18 W	18 W	16 W	14 W	
	Product Dimension (In mm)	Length	640	570/590	620	610 / 610	530 / 500	440
		Width	480	390/485	420	530 / 530	380 / 350	320
		Height	1220 / 1100	1160	1160	1010 / 1090	1030 / 1160	965
Warranty	Product Warranty	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	
	Fan / Blower Motor Warranty	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months	

Terms & Conditions

- The company will not be responsible for any delay in servicing due to non-availability of any components or due to reasons beyond the control of the company.
- Any failure of the product to perform any purpose other than the intended purpose shall not be considered as a default under this warranty.
- Liability for consequential loss or damage is neither accepted nor implied.
- In any event, if the company becomes liable for damages incurred in connection with this agreement, then the liability of the company will be limited to the amount equal to the sale invoice amount paid by the customer.
- A Class Components (Motor, Pump, Swing Motor or PC will be covered under warranty Plastic & Aesthetic Parts will not be covered under warranty
- Warranty Registration is mandatory to avail warranty Service
- LAZER models has warranty of 12 month from the date of purchase (tax invoice & proper documents are necessary to avail warranty)
- Dealers or retailer should issues tax invoice with set serial number mentioned on it, to the customer and the warranty card should be filled correctly to avail hassle free service to the customer. Delivery challan, hand written memo, etc will not be considered. any discrepancy in the above documents will result in void of warranty.
- The copy above documents has to provide to the service engineer during complaint visit, falling to do so will be entertained as out warranty. Tampered set serial number on the product or warranty card misplaced will not be considered as in warranty.
- In case of non availability of spares at respective ASC has to follow up with their respective ASI & VASAI

AIRCOOLER TYPE		MINI DESERT	Personal	Personal	Personal	Window	Window	Commercial	
FEATURE	PARAMETERS	SNOWMAN	Arctic Neo	Tango	Mini Strom	ICE Neo	ICEBERG	Wind Strom 20	
Comfort & Controls	Mode of Operation	Manual	Manual	Manual	Manual	Manual	Manual	Manual	
	Fully Collapsible Louvers	—	—	—	—	—	—	—	
	Cord winding station at Rear	—	—	—	—	Y	—	—	
	Mosquito Net/ Dust Filter	—	—	—	—	—	—	—	
	Timer	—	—	—	—	—	—	—	
	Water Level Indicator	Y	Y	Y	Y	Y	Y	Y	
	Remote	—	—	—	—	Y	—	—	
	USB Charger	Y	—	—	—	—	—	—	
	Night Lamp	Y	—	—	—	—	—	—	
	Castor Wheel	Y	Y	Y	Y	—	—	Y	
	Inverter Compatible	Y	Y	Y	Y	Y	Y	—	
	Cooling Media	Honeycomb (3 side)	Honeycomb (3 side)	Honeycomb (3 side)	Honeycomb(1side)	Woodwool (3 side)	Woodwool (3 Side)	Honeycomb (1 side)	
	3-Speed Control	Y	Y	Y	Y	Y	Y	Y	
	Auto Swing	Y	Y	Y	Y	Y	Y	Y	
	Ice Chamber	Y	Y	Y	—	Y	—	—	
	Auto Water Refill System	—	Y	—	—	Y	—	Y	
	Air Deflection	4 Way	4 Way	4 Way	4 way	4 Way	4 Way	4 Way	
Vertical Louver Movement	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised		
Horizontal Louver Movement	Manual	Manual	Manual	—	Manual	Manual	Manual		
Technical	Tank Capacity (L)	35 Ltr./50 Ltr.	35 Ltr.	15 Ltr./25 Ltr. /40 Ltr.	45 Ltr.	60 Ltr.	52 Ltr.	130 Ltr.	
	Mode of Air Circulation	Fan	Fan	Fan	Fan	Blower	Blower	Fan	
	Fan Blade Material	Plastic (ABS Black)	Plastic	Plastic (ABS Black)	Plastic (PPCP)	Plastic (PP Natural)	Plastic (PP Natural)	Metal	
	Fan Blade/ Blower Size (in Inch)	12	12	9 12	12	8	8	20	
	Rated Voltage	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	
	Rated Power (W)	110 W	100W	85 W/ 125 W	110W	220 W	220 W	350 W	
	Speed (RPM)	2600	1400	2500 RPM / 2300	2500	1350	1250	1350	
	Motor type	TOP	Non TOP	Non TOP	Non TOP	Non TOP	TOP	Non TOP	
	Fan Motor Capacitor	2.5 MFD	3 MFD	2.50 MFD/3 MFD	3 MFD	6.0 MFD	6 MFD	10.0 MFD	
	Fan Motor Rotation	Clockwise		Clockwise	Clockwise	Clockwise	Anti - Clockwise	Anti - Clockwise	
	Air Delivery (m3/h)	2600 (m3/h)	2400 (m3/h)	1300 (m3/h) 2300 (m3/h)	2300 (m3/h)	2000 (m3/h)	2000 (m3/h)	9000 m3 / Hr	
	Air Throw Distance (Ft)	25 Ft.	35 Ft.	15 Ft. / 26 Ft.	30 Ft.	35 Ft.	35 Ft.	65 Ft.	
	Pump Type	Conciend with TOP	Conciend Without TOP	Non Conciend Non TOP	Non Conciend Non TOP	Non Conciend Non TOP	Non Conciend with TOP	Non Conciend Non TOP	
	Pump Watt (W)	10 W	12 W	6W /9 W	14 W	12 W	14 W	20 W	
	Product Dimension (In mm)	Length	440	505	335/360/460	485	630	680	870
		Width	420	375	300/300/357	405	660	600	660
		Height	700	850	576/770/900	1020	580	560	1450
Warranty	Product Warranty	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	
	Fan / Blower Motor Warranty	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months	

#WARRANTY

This LAZER Air Cooler is fully warranted against any defect arising out of defective materials or faulty workmanship for a period of 12 months on product from the dated of purchase. An additional 12 months warranty on fan motor shall also be provided on successful warranty registration of product by scanning the QR Code available on product / warranty card / box. In case of any defect, do make a call on our, Customer care Help-line No.: 011-40237777 and we will send our engineer at your place for repairing. The warranty is valid only when:

- The appliance has been installed, used and maintained in accordance with the instruction manual.
- The warranty card and cash memo are filled and duly signed by the authorized dealer and are presented with the complaint
- The appliance has not been opened and tampered with, by any unauthorized person.

This warranty does not apply for:

Damages due to chipping, peeling, plating and denting.

Breakage or damage to components made out of Bakelite, Urea, ABS, SAN and such plastic materials, rubber parts and cord. Normal wear and tear of parts.

Change in factory settings of the product.

Damage resulting from accident, mishandling or negligence on part of the customer. Serial No. is deleted or altered on the product.

Fire, flood and other acts of god.

AIRCOOLER TYPE		Commercial	Commercial	Commercial	Commercial	Commercial	Semi Commercial	Semi Commercial	
FEATURE	PARAMETERS	Snow Storm	Mega Storm 22	Desert Strom Plus	Desert Strom 24	Desert Strom 20	Thunder Strom 18	Hail Strom	
Comfort & Controls	Mode of Operation	Manual	Manual	Manual	Manual	Manual	Manual	Manual	
	Fully Collapsible Louvers	Y	—	—	—	—	—	—	
	Cord winding station at Rear	Y	—	—	—	—	—	—	
	Mosquito Net/ Dust Filter	—	—	—	—	—	—	—	
	Timer	—	—	—	—	—	—	—	
	Water Level Indicator	Y	Y	Y	Y	Y	Y	Y	
	Remote	—	—	—	—	—	—	—	
	USB Charger	—	—	—	—	—	—	—	
	Night Lamp	—	—	—	—	—	—	—	
	Castor Wheel	Y	Y	Y	Y	Y	Y	Y	
	Inverter Compatible	Y	—	—	—	—	—	—	
	Cooling Media	Honeycomb(3side)	Honeycomb (1 side)	Honeycomb (1 side)	Honeycomb (1 side)	Honeycomb (1 side)	Honeycomb (1 side)	Honeycomb(1side)	
	3-Speed Control	Y	Y	Y	Y	Y	Y	Y	
	Auto Swing	Y	—	Y	—	—	Y	Y	
	Ice Chamber	Y	—	—	—	—	—	—	
	Auto Water Refill System	Y	—	—	—	—	Y	—	
	Air Deflection	4 way	1 Way	4 Way	1 Way	1 Way	4 Way	1 Way	
Vertical Louver Movement	Motorised	—	Motorised	—	—	Motorised	—		
Horizontal Louver Movement	Manual	—	Manual	—	—	Manual	—		
Technical	Tank Capacity (L)	120 Ltr.	100 Ltr./ 150 Ltr.	110 Ltr.	130 Ltr.	100 Ltr.	100 Ltr.	100 Ltr.	
	Mode of Air Circulation	Fan	Fan	FAN	FAN	FAN	FAN	Fan	
	Fan Blade Material	Plastic (ABS)	Metal	Plastic (ABS Black)	Plastic (ABS Black)	Plastic (ABS Black)	Plastic (ABS Black)	Metal	
	Fan Blade/ Blower Size (in Inch)	19	22	20	24	20	18	17	
	Rated Voltage	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	
	Rated Power (W)	300 W	360 W	380 W	530 W	380 W	110 W	250W	
	Speed (RPM)	1350	1350	1350	1200	1350	1350	1350	
	Motor type	Non TOP	TOP	Non TOP	Non TOP	Non TOP	Non TOP	Non TOP	
	Fan Motor Capacitor	8 MFD	10 MFD	8.0 MFD	12.5 MFD	8.0 MFD	5 MFD	5 MFD	
	Fan Motor Rotation	Anti - Clockwise	Anti - Clockwise	Anti - Clockwise	Anti - Clockwise	Anti - Clockwise	Clockwise	Anti - Clockwise	
	Air Delivery (m3/h)	8500 (m3/h)	11000 m3 / Hr	7700 m3/h	14000 (m3/h)	7700 m3/h	6500 m3/h	5400 (m3/h)	
	Air Throw Distance (Ft)	65 Ft.	70 Ft.	60 Ft.	70 Ft.	65 Ft.	60 Ft.	50 Ft.	
	Pump Type	Non Conciold Non TOP	Non Conciold with TOP	Non conseald WITH TOP	Non conseald WITH TOP	Non conseald WITH TOP	Non conseald WITH TOP	Non Conciold Non TOP	
	Pump Watt (W)	20 W	20 W	18 W	18 W	18 W	18 W	18 W	
	Product Dimension (In mm)	Length	820	870	810	960	810	680	545
		Width	510	640	540	530	540	515	545
		Height	1320	1440/1515	1385	1440	1385	1335	1460
Warranty	Product Warranty	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	
	Fan / Blower Motor Warranty	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months	

Terms & Conditions

- The company will not be responsible for any delay in servicing due to non-availability of any components or due to reasons beyond the control of the company.
- Any failure of the product to perform any purpose other than the intended purpose shall not be considered as a default under this warranty.
- Liability for consequential loss or damage is neither accepted nor implied.
- In any event, if the company becomes liable for damages incurred in connection with this agreement, then the liability of the company will be limited to the amount equal to the sale invoice amount paid by the customer.
- A Class Components (Motor, Pump, Swing Motor or PC will be covered under warranty Plastic & Aesthetic Parts will not be covered under warranty
- Warranty Registration is mandatory to avail warranty Service
- LAZER models has warranty of 12 month from the date of purchase (tax invoice & proper documents are necessary to avail warranty)
- Dealers or retailer should issues tax invoice with set serial number mentioned on it, to the customer and the warranty card should be filled correctly to avail hassle free service to the customer. Delivery challan, hand written memo, etc will not be considered. any discrepancy in the above documents will result in void of warranty.
- The copy above documents has to provide to the service engineer during complaint visit, falling to do so will be entertained as out warranty. Tampered set serial number on the product or warranty card misplaced will not be considered as in warranty.
- In case of non availability of spares at respective ASC has to follow up with their respective ASI & VASAI

FRUIT JUICE
INSTANTLY



Simplify Your
Kitchen Life!



Enjoy Perfect Rice
Every time



Efficiency at Your Fingertips
Power Up, Save on Precision



Easy to slide,
non-sticky glide



WARMING HOME SINCE 1983
YOUR WIDEST CHOICE IN COMFORT




MORE THAN JUST A
GEYSER
it's a lifestyle



Your Cooling
Comfort





LAZER[®]

■ SIMPLIFY LIVING



Scan to download
e-catalogue



LAZER INDIA (P) LTD.

Admin. Office;43, Rajasthani Udyog Nagar
(Ground Floor), New Delhi-110033
+91-11 43970000
www.lazerindia.com

FOR TRADE ENQUIRIES

Tel: +91 11 43970000
E-mail: sales@lazerindia.com

FOR CUSTOMER CARE

011 - 40 23 7777 (Helpline No.)
+91 920 580 53 68 (Whatsapp)
E-mail: customercare@lazerindia.com

**The Trusted Name in
Quality Products Since 1983**

For more product details, demo and
troubleshooting follow us :

- www.facebook.com/LazerSimplifyLiving
- www.twitter.com/lazer_india
- www.pinterest.com/Lazer_India
- www.instagram.com/lazer_india
- www.youtube.com/LazerIndia
- www.linkedin.com/company/lazerindia



Note: Kindly note that photographs shown here are indicative. Due to continuous improvements, the actual product at the time of supply may differ from the details given herein. Vardhman Group/Lazer India (P) Ltd. reserves the right to make changes in Data/Details without any prior notice.

*T&C APPLY