


LUKER
JV LUKER USA



DESIGNER FANS RANGE
2025-26 edition



DESIGNER FANS RANGE

2025-26 edition

Experience the perfect blend of style and comfort with Luker's stunning collection of ceiling fans. Explore a wide array of options tailored to suit every need and mood. Choose the ideal fan that complements your vision, infusing your space with joy and exceptional comfort.

CONTENT

DESIGNER FANS RANGE

04

BLDC FANS RANGE

09

INDUCTION MODELS

33

TPWE RANGE

43



DESIGNER FANS RANGE



Augusta **BLDC**



Sweep (mm)	Motor Power (W)	LED Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1285	50	18	220-240	170	235	2 Star

*All values measured in ideal conditions



Onassis **BLDC**



Sweep (mm)	Motor Power (W)	LED Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1530	50	24	220-240	125	300	-

*All values measured in ideal conditions



UFO **BLDC**



Sweep (mm)	Motor Power (W)	LED Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1320	32	20	220-240	320	230	5

*All values measured in ideal conditions



Diana **BLDC**



Sweep (mm)	Motor Power (W)	LED Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1050	32	30	220-240	280	170	5

*All values measured in ideal conditions



BLDC FANS RANGE

*All values measured in ideal conditions



OAKWOOD



HAZELNUT



WHITE

Florence **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1320	32	220-240	230	230	5 Star

*All values measured in ideal conditions



OASIS GREEN



ONYX BLACK



SANDSTONE



SNOW WHITE

Size Alpha
Cosmos **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*All values measured in ideal conditions



ROSE GOLD



MATT BLACK



LASER WHITE



SPARKLE BRONZE



SLATE CHROME



BAKER BROWN



MATT CHERRY RED



OCEAN BLUE



GOLORIOUS GOLD

Size Alpha
Galaxy **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1320	32	220-240	320	230	5 Star

*All values measured in ideal conditions



COFFEE BRONZE 3 IN 1



WHITE 3 IN 1

Turbine Glow **BLDC**



Sweep (mm)	Motor Power (W)	LED Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	7	220-240	350	230	5 Star

*All values measured in ideal conditions



TURBINE TEAKWOOD



TURBINE MAPLEWOOD



TURBINE ROSEWOOD

Turbine Wood **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*All values measured in ideal conditions



WHITE



IVORY



COFFEE BRONZE

Turbine **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*All values measured in ideal conditions



IVORY IVORY GOLD 3 IN 1



WHITE WHITE COPPER 3 IN 1



BLACK BLACK COPPER 3 IN 1

Crown Glow **BLDC**

-
-
-
-
-
-
-

Sweep (mm)	Motor Power (W)	LED Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	7	220-240	340	238	5 Star

*All values measured in ideal conditions



IVORY IVORY BLACK GOLD



WHITE WHITE BLACK COPPER



BLACK BLACK BLACK COPPER



BLACK BLACK BLACK CHROME

Crown Plus **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*All values measured in ideal conditions



WHITE ROSEWOOD WHITE COPPER



IVORY ROSEWOOD IVORY COPPER



BLACK ROSEWOOD BLACK COPPER

Size Zero Crown **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*All values measured in ideal conditions



BLACK TEAKWOOD BLACK COPPER



IVORY TEAKWOOD IVORY COPPER



IVORY TEAKWOOD IVORY GOLD



WHITE TEAKWOOD WHITE COPPER

Size Zero Crown **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*All values measured in ideal conditions



BLACK BLACK BLACK COPPER



BLACK BLACK BLACK GOLD



BLACK BLACK BLACK CHROME

Size Zero Crown **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star
900*	35	220-240	540	185	5 Star
600*	32	220-240	920	115	5 Star

*Sweep sizes of 900 mm and 600 mm are available only in black and white colors.

*All values measured in ideal conditions



WHITE WHITE WHITE COPPER



WHITE WHITE WHITE CHROME



WHITE WHITE WHITE GOLD

Size Zero Crown **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star
900*	35	220-240	540	185	5 Star
600*	32	220-240	920	115	5 Star

*Sweep sizes of 900 mm and 600 mm are available only in black and white colors.

*All values measured in ideal conditions



IVORY IVORY IVORY CHROME



IVORY IVORY IVORY GOLD



IVORY IVORY IVORY COPPER

Size Zero Crown **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*All values measured in ideal conditions



OCEAN BLUE BLACK COPPER



CORAL RED COPPER



SANDSTONE BLACK COPPER

Size Zero Crown **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star



WHITE WHITE 3 IN 1



SANDSTONE SANDSTONE 3 IN 1



BLACK BLACK 3 IN 1

Radial Glow **BLDC**



Sweep (mm)	Motor Power (W)	LED Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	7	220-240	340	238	5 Star

*All values measured in ideal conditions



WHITE WHITE BLACK



SANDSTONE SANDSTONE BLACK



BLACK BLACK BLACK

Radial Plus **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*All values measured in ideal conditions



WHITE TEAKWOOD BLACK



WHITE ROSEWOOD WHITE



WHITE ROSEWOOD BLACK



WHITE TEAKWOOD WHITE



WHITE MAPLEWOOD BLACK

Radial **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*All values measured in ideal conditions



SANDSTONE TEAKWOOD BLACK



SANDSTONE ROSEWOOD BLACK



SANDSTONE MAPLEWOOD BLACK

Radial **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*All values measured in ideal conditions



BROWN TEAKWOOD BROWN



BROWN ROSEWOOD BROWN



BROWN TEAKWOOD BLACK



BROWN ROSEWOOD BLACK

Radial **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*All values measured in ideal conditions



BLACK TEAKWOOD BLACK



BLACK ROSEWOOD BLACK



BLACK MAPLEWOOD BLACK

Radial **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*All values measured in ideal conditions



OCEAN BLUE BLACK



PEARL IVORY BLACK



WARM GREY BLACK



MAGIC RED BLACK

Radial **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*All values measured in ideal conditions



BLACK WHITE BLACK



BLACK BLACK BLACK

Radial **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star
900*	35	220-240	540	185	5 Star
600*	32	220-240	920	115	5 Star

*Sweep sizes of 900 mm and 600 mm are available only in black and white colors.

*All values measured in ideal conditions



BROWN BROWN BROWN



BROWN BROWN BLACK

Radial **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*All values measured in ideal conditions



WHITE WHITE WHITE



WHITE WHITE BLACK

Radial **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star
900*	35	220-240	540	185	5 Star
600*	32	220-240	920	115	5 Star

*Sweep sizes of 900 mm and 600 mm are available only in black and white colors.

*All values measured in ideal conditions



SANDSTONE SANDSTONE BLACK

Radial **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*All values measured in ideal conditions



BLACK ROSEWOOD BLACK



BLACK TEAKWOOD BLACK

Size Zero Neo **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star



SAPPHIRE BLUE BLACK



PEARL BLUE BLACK



CORAL RED BLACK

Size Zero Neo **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*All values measured in ideal conditions



IVORY IVORY IVORY



IVORY IVORY BLACK

Size Zero Neo **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*Available in Remote and Regulator models.

*All values measured in ideal conditions



WHITE WHITE WHITE



WHITE WHITE BLACK

Size Zero Neo **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*Available in Remote and Regulator models.
*All values measured in ideal conditions



BLACK BROWN BLACK



BLACK WHITE BLACK



BLACK IVORY BLACK



BLACK BLACK BLACK (Y)



BLACK BLACK BLACK

Size Zero Neo **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*Available in Remote and Regulator models.

*All values measured in ideal conditions



BROWN BROWN BROWN



BROWN BROWN BLACK

Size Zero Neo **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*Available in Remote and Regulator models.

*All values measured in ideal conditions



BROWN



IVORY



WHITE

Nano XL BLDC



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	370	215	5 Star

*Available in Remote and Regulator models.

*All values measured in ideal conditions



WHITE



IVORY



COFFEE BRONZE

Eco 28 Neo **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star

*Available in Remote and Regulator models.

*All values measured in ideal conditions



LASER WHITE



BAKER BROWN



GLORIOUS GOLD

Valentine Eco **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	28	220-240	370	227	5 Star

*Available in Remote and Regulator models.

*All values measured in ideal conditions



LUSTER BROWN



IVORY



WHITE

Panther **BLDC**



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	32	220-240	350	230	5 Star
900	35	220-240	540	185	5 Star

*All values measured in ideal conditions



INDUCTION MODELS



MATT BLACK



PEARL WHITE



SATIN GOLD



MATT CHERRY RED



OCEAN BLUE

Brizz ★



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	52	220-240	380	225	1 Star

*All values measured in ideal conditions



PEARL WHITE



STAIN GOLD



MATT BLACK



OCEAN BLUE

Blaze ★



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	52	220-240	380	225	1 Star



LASER WHITE



ROSEGOLD



MIST LAVENDER



SLATE CHROME



SPARKLE BRONZE



BAKER BROWN



GLORIOUS GOLD

Valentine ★



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	52	220-240	380	225	1 Star



IVORY



WHITE



COOL GREY



COFFEE BRONZE

Duster Plus ★



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	52	220-240	365	215	1 Star



CHERRY RED



CARMEL GOLD



BREEZY BLACK

Flora ★



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	52	220-240	365	215	1 Star



WHITE



IVORY



MATT BROWN

Astro XL ★



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	52	220-240	365	215	1 Star
900	40	220-240	440	140	1 Star
600	72	220-240	800	110	1 Star



WHITE



COFFEE BRONZE



IVORY

Concorde 400★



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	52	220-240	380	210	1 Star



BROWN



IVORY



WHITE

Phonic Star ★



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	52	220-240	365	215	1 Star
900	40	220-240	440	140	1 Star
600	72	220-240	800	110	1 Star



BROWN



IVORY



WHITE

Jaguar ★



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	52	220-240	380	210	1 Star



BROWN



IVORY



COFFEE BRONZE



WHITE

Jaguar Plus ★



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	52	220-240	380	210	1 Star



BRONZE



IVORY



WHITE

Nano XL ★



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery (CMM)	Star Rating
1200	52	220-240	380	210	5 Star
900	40	220-240	440	140	5 Star



TABLE FANS • PEDESTAL FANS • WALL FANS • EXHAUST FANS RANGE

Evo Multipurpose Fan



Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LTWC09	30	230	2200	4



Ostro Personal Fan



Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
OSTRO 200MM WH	30	200	2200	3



Oria Table Fan



Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LTF160 BYL	55	400	1330	3



ORIA

TABLE FAN

Ostro Neo Personal Fan



Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LWFCF09OSN BK	60	225	2600	3



Tempest HS



Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LTF16S HS WHGY	105	400	2300	3




Lanza W1

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LWF16W1L WH	55	400	1350	3




Lanza W4

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LWF16W2L WH	60	400	1330	3
LWF16W2L BK	60	400	1330	3
LWF16W2L BK&RD	60	400	1330	3



Lanza Neo W5

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LWF16W1L WH	55	400	1350	3
LWF16W1L BLK	55	400	1350	3



LANZA
Neo W5

WALL FAN

Lanza W4 HS

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LWF16W4L HS WH	120	400	2100	3



Lanza Neo W5 HS

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LFWF12W5L HS WH	95	300	2300	3




Pablo W2J

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LWF2J16P WH	55	400	1350	3



Pablo Plus

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LWFP16P BLK	60	400	1350	3
LWFP16P BYL	60	400	1350	3



Tornado Neo Remote

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LWFH16R N OR	55	400	1320	3
LWFH16R N BK	55	400	1320	3



Lanza W3 450mm

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LWF18W3L WH	65	450	1320	3



Zonda Plus 450mm



Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LWF18ZP OB	55	450	1400	3

L3 Wall Fan 450mm



Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LWF18L3 BLK	98	450	1350	3

Orbit Prime

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LWFCF16ON WH	50	400	1350	2



ORBIT
Prime

CABIN FAN

PEDESTAL MODELS

Ario L1

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LPFA16L1 GY	50	400	1350	3



Favio L1

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LPFF16L1 BL	55	400	1300	3



PEDESTAL MODELS

Spice Plus

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LPF16S2P BLK	60	400	1350	3
LPF16S2P BYL	60	400	1350	3



Tornado Neo S1

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LPFNS16 BLK	55	400	1350	3
LPFNS16 OBK	55	400	1350	3
LPFNS16 WGY	55	400	1350	3
LPFNS16 RBK	55	400	1350	3



PEDESTAL MODELS

Tornado HS Neo S1

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LPFNS16BLK HS	120	400	2000	3
LPFNS16WH HS	120	400	2000	3



Zonda 450mm

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LPF18Z	60	450	1400	3



L3 Pedestal 450mm

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LPF18L3 BLK	98	450	1350	3



Hercules Farrata 500mm

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LPFH20F MGY	140	500	1400	1



Viento **BLDC**



Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LXC06B WH	7.5	150	1470	8



Arturo **BLDC**



Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LXART06B WH	5	150	2130	8



Arturo Classic



- SUPERIOR AIR DELIVERY**
- AESTHETIC DESIGN**
- HIGH SPEED MOTOR**
- LOW NOISE OPERATION**
- MESH GUARD**

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LXCART06 WH	18	150	2100	30

Plano Sleek

Architectural Indirect Ventilair Fans



- SILENT AIR OPERATION**
- ABS BODY**
- IN-DIRECT VENTILATION**
- LOW POWER CONSUMPTION**

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LXF04	15	100	1800	20

Plano AX-R

Architectural Indirect Ventilair Fans

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LXF06Ni	17	150	2200	12
LXF06Ni WD	17	150	2200	12
LXF06Ni SS	17	150	2200	12



Cielo

Ceiling Exhaust Fan

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LXCEL8i	31	200	1350	8
LXCEL8i RW	31	200	1350	8
LXCEL8i SL	31	200	1350	8
LXCEL12	36	300	1350	4



Cielo Neo Ceiling Exhaust Fan



Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LXCELC08N	25	200	1400	4



Ciego AX-R



Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LXAUTO06N	20	150	1900	10



Ermir AX-R

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LXSMT04	12	100	2300	24
LXSMT06	18	150	1630	20
LXSMT08	20	200	1300	12



Esen AX-R

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LYGL04i / LYGL04i BK	12	100	2200	10
LYGL06i / LYGL06i BK	21	150	2100	12
LYGL08i / LYGL08i BK	24	200	2000	20



Gale AX-R



Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LXGL04i	15	100	2400	24
LXGL04i BR	15	100	2400	24
LXGL08i	45	200	1900	20



Gale Eco HS



Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LXGL06 E	23	150	1950	30



Gale Plus Neo HS

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LXGL06P-N WHT	26	150	2100	30



Gale Wave HS

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LXGL06-W-M	18	150	2100	30



Viento

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LXC6 / LXC6BK	26	150	1400	8/12
LXC8 / LXC8BK	30	200	1350	8
LX10	38	250	1250	4



Viento HS

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LXC06 HS WH	43	150	2500	12
LXC08 HS WH	70	200	1750	8



Gale AX-META

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LXGMETA06	30	150	2500	6
LXGMETA07	35	175	2600	6



Gale LXG-META

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LXGMETA10	40	250	2100	4



Tuuli Metal Exhaust Fan

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LME06	59	150	2600	6/8



Tuuli Metal Exhaust Fan

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LME09	39	225	1400	4
LME12	48	300	1400	4



Tuuli Metal Exhaust Fan

Model No.	Power (W)	Sweep (MM)	RPM	Std Packing
LME09HS	59	225	2400	4



ARTURO
Classic

EXHAUST FAN

OUR MANUFACTURING FACILITY





LUKER ELECTRIC TECHNOLOGIES PVT. LTD.

Regd. Office: 34/1912-C1, Mattathil Lane, BTS Road, Kochi-682024, Ernakulam, Kerala

Corp. Office: 2nd Floor, Jain Tower, NH-17 Bypass, Opp. Lulu Mall, Edappally, Kochi-682024, Ph: +91 9895170021, 9746322555, 8594032727, 8129802985, Email: sales@lukerindia.com. **Factory:** 54, Krishnarayapuram Thottasalai, Old Cochin Bypass Road, Chettipalayam, Coimbatore - 641201, Tamil Nadu, India, Web: www.lukerindia.com Email: sales@lukerindia.com. **COIMBATORE:** No. 22, 1st Floor RV Center, ATT Colony, Park Gate Road, Coimbatore-18. Ph: +91 8870810999, 9894090819. **CHENNAI:** 480, 2nd Floor, Kiviraj Complex-2, Anna Salai, Nandanam, Chennai-35, PH : 9994429393, 8870810999. **KARNATAKA:** No 17, 60 feet Ring road, Papareddy Palya, Near Deepa complex, Bengaluru - 560072, Ph: +91 9008487009. **HYDERABAD:** 106, First Floor, Babukhan Millennium Centre, Somajiguda, Hyderabad - 500016, Ph: +91 040-23416268, 9866077902, Email: hyd@lukerindia.com. **MUMBAI:** 1806, Lodha Supremus, Saki Vihar Road, Opp. M.T.N.L. Building, Andheri (East), Mumbai-400072, Ph: +91 9920581080, 9769207676. **AHMEDABAD:** A-604, Titanium Buisness Park, Near Makarba Under Pass, Makarba , Ahmedabad - 380051, Gujarat, Ph: +91 9687300643, Email: sales@lukerindia.com. **KOLKATA:** 4A, Pollock Street, Swaika Centre, 4th Floor, Room No. 408, Kolkata-700001, Ph: +91 9748004327. **DELHI:** Alphathum, 6th Floor, Tower-C, Sector 90, Coworkzen, Near Metro Station, Noida Sector 137, Noida, Delhi-201305, Ph: +91 9910014028, 9934111000, 9316699998.

Representative offices at: Warangal - 7893039571, Karim Nagar - 7097872736, Kakinada - 9000554811, Mangalore - 7022119165, Chennai - 9944406353, 8754461720, Salem - 9994013192, Trichy - 8056180666, Pondicherry - 9842454247, Madurai - 9894090819, Pune - 9890696933, Nagpur - 9850395269, Nasik - 7769091911, Baroda - 9687300643, Siliguri - 9163392642, Patna - 7283002608, Raipur - 9827216350, Bhopal - 9300082600, Vellore - 9994429393, Vijayawada - 8019969551, Visakhapatnam - 9966739120, Goa - 9890696933, Indore - 9713060158, Surat - 9825506072, Rajkot - 9687300643, Jabalpur - 9407154296, Gwalior - 9300082600, Tirupathi - 6301330309, Tirunelveli - 9940930477

TOLL FREE NUMBERS : 1800 120 2350 , 1800 570 2360