



PRODUCT CATALOGUE

Volume - 2025

Bollards
Wall Luminaires
Spike Luminaires
Decorative Lights
Post Top Luminaires
Inground Luminaires
Facade/ Landscape Lighting
and more ...



INTRODUCTION

Founded in 2015, Amase has quickly established itself as a leading name in India's LED lighting industry, with a strong specialization in outdoor lighting solutions. With a focus on quality, innovation, and long-term performance, we design and manufacture a wide range of outdoor lighting products including wall lights, bollard lights, garden lights, and pole lights—each built to enhance architectural aesthetics while withstanding the toughest weather conditions.

What sets Amase apart is our strong in-house manufacturing ecosystem. We design and develop our own custom moulds, giving us complete control over the form, functionality, and finish of every product. Our dedicated surface treatment facility ensures each fixture meets the highest standards of durability, corrosion resistance, and outdoor performance.

At the heart of every Amase light is an efficient, high-quality power supply that ensures optimal energy usage, consistent illumination, and a longer product lifespan. This efficiency not only reduces power consumption but also enhances the reliability of each light across varied applications—from residential landscapes to commercial exteriors.

We believe that delivering great products is only half the job. That's why Amase is equally committed to providing the best after-sales service in the industry. Our support team, backed by a widespread network, ensures timely assistance and complete customer satisfaction long after installation.

With a strong foundation in design, technology, and service, Amase continues to lead the way in sustainable, high-performance outdoor lighting across India.



IS 15885
(Part 2/Sec 13):2012



R - 81004537
(BIS Drivers)



Contents



05

[Outdoor LED Foot Lights](#)



07

[Indoor LED Foot Lights](#)



08

[Outdoor LED Wall Lights](#)



13

[Garden Spike Lights](#)



15

[Inground LED Burial Lights](#)



16

[Outdoor LED Trick Lights](#)



17

[Indoor LED Wall Lights](#)



18

[Outdoor LED Lawn Lights](#)



34

[Outdoor Gate Lights/ Wall Lights](#)



36

[Pendant Lamps](#)



39

[Outdoor LED Pole Lights](#)


Amase[®]
LED Lighting

LED by:


CREE

bridgelux


SEOUL




AL 8080 - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 8080 - 8W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 990 Square - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Clear PC
Body Color: Graphite Gray



AL 990 Round - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Clear PC
Body Color: Graphite Gray




AL 8401 Round - 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Toughened Glass with ABS Recess Box
Body Color: Graphite Gray




AL 8401 Square - 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Toughened Glass with ABS Recess Box
Body Color: Graphite Gray




AL 2911 - 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 9306 - 6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, PC Diffuser with ABS Recess Box
Body Color: Graphite Gray



AL 33 - 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, PC Diffuser with ABS Recess Box
Body Color: Graphite Gray



AL 9081 - 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Toughened Glass with Metal Recess Box
Body Color: Graphite Gray

Outdoor LED Foot Lights



AL 3906-A - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
S.S. 304 Grade Laser cut Plate,
PC Diffuser with ABS Recess Box
Body Color: Steel Finish




AL 3910-A - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
S.S. 304 Grade Laser cut Plate,
PC Diffuser with ABS Recess Box
Body Color: Steel Finish



AL 3906-B - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
S.S. 304 Grade Laser cut Plate,
PC Diffuser with ABS Recess Box
Body Color: Steel Finish



AL 3910-B - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
S.S. 304 Grade Laser cut Plate,
PC Diffuser with ABS Recess Box
Body Color: Steel Finish



AL 3906-C - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
S.S. 304 Grade Laser cut Plate,
PC Diffuser with ABS Recess Box
Body Color: Steel Finish



AL 3910-C - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
S.S. 304 Grade Laser cut Plate,
PC Diffuser with ABS Recess Box
Body Color: Steel Finish



AL 3906-D - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
S.S. 304 Grade Laser cut Plate,
PC Diffuser with ABS Recess Box
Body Color: Steel Finish



AL 3910-D - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
S.S. 304 Grade Laser cut Plate,
PC Diffuser with ABS Recess Box
Body Color: Steel Finish




AL 3906-E - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
S.S. 304 Grade Laser cut Plate,
PC Diffuser with ABS Recess Box
Body Color: Steel Finish



AL 3910-E - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
S.S. 304 Grade Laser cut Plate,
PC Diffuser with ABS Recess Box
Body Color: Steel Finish




AL 3906-ENTRY - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
S.S. 304 Grade Laser cut Plate,
PC Diffuser with ABS Recess Box
Body Color: Steel Finish



Cut Size: 126 x 75 x 70mm




AL 3910-EXIT - 4W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
S.S. 304 Grade Laser cut Plate,
PC Diffuser with ABS Recess Box
Body Color: Steel Finish




Cut Size: 80 x 80 x 45mm

Indoor LED Foot Lights




Cut Size: Ø50 x 55 mm

AL 26 A - 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, PC Diffuser with
metal recess box
Body Color: White




Cut Size: Ø50 x 55 mm

AL 26 B - 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, PC Diffuser
with metal recess box
Body Color: White




Cut Size: Ø50 x 55 mm


AL 26 C - 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, PC Diffuser
with metal recess box
Body Color: White



AL 25 Round - 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Metal
Recess Box
Body Color: White




AL 25 Square - 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with metal
recess box
Body Color: White




Cut Size: Ø47 x 70 mm

AL 8090 - 3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, PC Diffuser
with ABS recess Box
Body Color: White




Outdoor LED Wall Lights




AL 2004 - Square Lens

LED : 1x3W, 2x3W, 3x3W, 4x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Square Lens
Body Color: Graphite Gray





AL 2004 - Round Lens

LED : 1x3W, 2x3W, 3x3W, 4x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 4002 - Square Lens

LED : 2x3W, 1x3W, 2x5W, 1x5W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Square Lens
Body Color: Graphite Gray




AL 4002 - Round Lens

LED : 2x3W, 1x3W, 2x5W, 1x5W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Round Lens
Body Color: Graphite Gray




AL 881-2 Square

LED : 2X5W(COB)
Holder: 2xGU-10
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray




AL 881-2 Round

LED : 2X5W(COB)
Holder: 2xGU-10
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray




AL 881-1 Square

LED : 1X5W(COB)
Holder: 1xGU-10
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray




AL 881-1 Round

LED : 1X5W(COB)
Holder: 1xGU-10
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray



AL 880 - Surface Square


LED : 1X5W(COB)
Holder: 1xGU-10
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray



AL 880 - Surface Round


LED : 1X5W(COB)
Holder: 1xGU-10
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray

Outdoor LED Wall Lights




AL 9090 - 2x3W

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 2509

LED : 4x3W, 4x1W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 7010

LED : 2x3W, 1x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray, PKW




AL 7020

LED : 4X3W, 4x1W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray




AL 8091

LED : 1x3W, 1x5W(COB)
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray




AL 188 - 6W Wall Light

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 246

LED : 2X1W
LED Color : Red, Green, Blue, Yellow
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray




AL 246

LED : 4X1W
LED Color : Red, Green, Blue, Yellow
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray




AL 246

LED : 6X1W
LED Color : Red, Green, Blue, Yellow
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray



AL 8091

LED : 2x3W, 2x5W(COB)
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray



AL 234 - 2x8W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



AL 234 - 2x6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



AL 432 - 2x8W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 432 - 2x6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 333 - 2x6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 4004 - 4x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 6060 - 3x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray




AL 2054 - 2x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 1033 - 6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 1034 - 8W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 642 - 2x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray




AL 1404 Surface - 6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 642 - 4x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray




AL 1404 - 1x6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 642 - 6x3W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray





AL 1404 - 2x6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 8910 - 12W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 4005 - 6W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 882 - 5W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray

Outdoor LED Wall Lights



Wattage	Diameter	Height
2x12W	88mm	235mm
2x18W	88mm	355mm
2x24W	128mm	395mm
2x30W	128mm	450mm
2x40W	128mm	530mm

AL 1619 - 2
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Toughened Glass with Metalised Refletctor
Body Color: Graphite Gray



Wattage	Width	Height
2x12W	90mm	220mm
2x24W	118mm	340mm
2x36W	118mm	420mm

AL 2610 - 2
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Toughened Glass with Metalised Refletctor
Body Color: Graphite Gray



Wattage	Diameter	Height
1x12W	88mm	130mm
1x18W	88mm	220mm
1x24W	128mm	250mm
1x30W	128mm	280mm
1x40W	128mm	340mm

AL 1046 - 1
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Toughened Glass with Metalised Refletctor
Body Color: Graphite Gray



Wattage	Width	Height
1x12W	90mm	120mm
1x24W	118mm	215mm
1x36W	118mm	275mm

AL 2610 - 1
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Toughened Glass with Metalised Refletctor
Body Color: Graphite Gray



Wattage	Diameter	Height
12W	88mm	150mm
18W	88mm	235mm
24W	128mm	260mm
30W	128mm	270mm
40W	128mm	350mm


AL 1046 - Surface
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Toughened Glass with Metalised Refletctor
Body Color: Graphite Gray




Wattage	Width	Height
12W	90mm	125mm
24W	118mm	230mm
36W	118mm	290mm

AL 2610 - Surface
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Toughened Glass with Metalised Refletctor
Body Color: Graphite Gray


Garden Spike Lights




AL 5100 - 7W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector, Toughened Glass with ABS Spike
Body Color: Graphite Gray




AL 5100 - 12W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector, Toughened Glass with ABS Spike
Body Color: Graphite Gray




AL 5100 Cap- 7W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector, Toughened Glass with ABS Spike
Body Color: Graphite Gray




AL 5100 Cap- 12W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector, Toughened Glass with ABS Spike
Body Color: Graphite Gray




AL 5100 Cap W/L- 7W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray



AL 5100 Cap W/L- 12W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector, Toughened Glass with ABS Spike
Body Color: Graphite Gray




AL 5100 W/L- 7W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray




AL 5100 W/L- 12W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray

Garden Spike Lights




AL 4095 Spike
LED: 5W
Holder: GU-10, MR-16
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
Metalised Reflector with Toughened Glass
Body Color: Black




AL 4095 Cap Spike
LED: 5W
Holder: GU-10, MR-16
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
Metalised Reflector with Toughened Glass
Body Color: Black



AL 4095 Wall Light
LED: 5W
Holder: GU-10, MR-16
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
Metalised Reflector with Toughened Glass
Body Color: Black



AL 4095 Cap W/L
LED: 5W
Holder: GU-10, MR-16
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
Metalised Reflector with Toughened Glass
Body Color: Black



AL 4040- 7W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised
Reflector, Toughened Glass with ABS Spike
Body Color: Graphite Gray




Wattage	Diameter	Height
5W	63mm	100mm
10W	76mm	135mm
15W	88mm	173mm


AL 207
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, Metalised
Reflector with Toughened Glass
Body Color: Black




In-Ground LED Burial Lights




Cut Size: Ø75 x 70 mm
AL 4050 - 1x1W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
PC Diffuer with ABS Recess Box
Body Color: Graphite Gray




Cut Size: Ø75 x 70 mm
AL 4050 - 2x1W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
PC Diffuer with ABS Recess Box
Body Color: Graphite Gray




Cut Size: Ø75 x 70 mm
AL 4050 - 4x1W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
PC Diffuer with ABS Recess Box
Body Color: Graphite Gray




Cut Size: Ø75 x 70 mm
AL 4050 - 3x1W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium,
PC Diffuer with ABS Recess Box
Body Color: Graphite Gray




Cut Size: Ø106 x 105 mm
AL 5050 - 12W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, 302 Grade SS
Plate, Toughened Glass with ABS Recess Box
Body Color: Steel Finish




Cut Size: Ø85 x 93 mm
AL 5050 - 7W
Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, 302 Grade SS
Plate, Toughened Glass with ABS Recess Box
Body Color: Steel Finish



Cut Size: Ø40 x 72 mm
AL 8081 - 3W
Color Temperature : 3000K, 6000K
Material: S.S. 304 Grade, Optical Lens,
Toughened Glass with ABS Recess Box
Body Color: Steel Finish




Outdoor LED Trick Lights



AL 180 - 6W


Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray



AL 360 - 9W


Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Acrylic Lens
Body Color: Graphite Gray

Outdoor Bulk-Head Lights




AL Prisma Vertical A

Holder: B-22
Material: Die-casting Aluminium with Frosted Glass
Body Color: Black




AL Prisma Horizontal B

Holder: B-22
Material: Die-casting Aluminium with Frosted Glass
Body Color: Black



AL Prisma Horizontal A


Holder: B-22
Material: Die-casting Aluminium with Frosted Glass
Body Color: Black



AL Prisma Vertical B

Holder: B-22
Material: Die-casting Aluminium with Frosted Glass
Body Color: Black

Indoor LED Wall Lights



AL 28 - 3

LED: 3X5W
Holder: GU-10
Material: Die-casting Aluminium with Toughened Glass
Body Color: White



AL 28 - 2

LED: 2X5W
Holder: GU-10
Material: Die-casting Aluminium with Toughened Glass
Body Color: White



AL 28 - 1

LED: 1X5W
Holder: GU-10
Material: Die-casting Aluminium with Toughened Glass
Body Color: White



AL 27 - 3

LED: 3X7W
Material: Die-casting Aluminium with PC Diffuser
Body Color: White



AL 27 - 2

LED: 2X7W
Material: Die-casting Aluminium with PC Diffuser
Body Color: White



AL 27 - 1

LED: 1X7W
Material: Die-casting Aluminium with PC Diffuser
Body Color: White



AL 29 - 3

LED: 3X6W
Material: Die-casting Aluminium with PC Diffuser
Body Color: White



AL 29 - 2

LED: 2X6W
Material: Die-casting Aluminium with PC Diffuser
Body Color: White



AL 29 - 1


LED: 1X6W
Material: Die-casting Aluminium with PC Diffuser
Body Color: White

Outdoor LED Wall Lights



AL 4400-3

LED: 3x12W
Material: Die-casting Aluminium with PC Diffuser
Body Color: Granite Gray




AL 4400-2

LED: 3x12W
Material: Die-casting Aluminium with PC Diffuser
Body Color: Granite Gray




AL 4400-1

LED: 3x12W
Material: Die-casting Aluminium with PC Diffuser
Body Color: Granite Gray




LED Lawn Lights




AL 2700 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 7200 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 2223 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 171-12W + Indicator-2W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



AL 1224 - 12W


Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 4400 - 12W


Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color : Granite Gray

LED Lawn Lights




AL 404 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Clear PC
Body Color: Graphite Gray




AL 505 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Clear PC
Body Color: Graphite Gray



AL 7711 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 4545 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 188 - 6W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 188 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 6363 - 1x5W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray


AL 6363 - 2x5W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray




AL 8800 - 1x5W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray



AL 8800 - 2x5W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray




AL 2320-12W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 6003 - 12W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

LED Lawn Lights




AL 1881 - 1x7W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

AL 1881 - 2x7W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

LED Lawn Lights




AL 3500 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray

AL 3545 Wall Light - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 3688 - 1x5W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray

AL 3688 - 2x5W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray




AL 6464 - 1x5W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray

AL 6464 - 2x5W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium, Metalised Reflector with Toughened Glass
Body Color: Graphite Gray




AL 4041 - 5W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray

AL 4041 Wall Light - 5W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 888 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

AL 888 - 12W - Wall Light

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

LED Lawn Lights





AL 6660 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

AL 6660 - 12W - Wall Light

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 199

LED : 12 W
Holder : E-27
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

AL 199 - Wall Light

LED : 12 W
Holder : E-27
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 202 - 12W


Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray

AL 202 - 12W - Wall Light

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




LED Lawn Lights




AL 303 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 303 - 12W - Wall Light

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 3330 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



AL 3330 - 12W - Wall Light

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray




AL 2340

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 2323 - 12W - Wall Light


Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 3005
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 6030 - 12W - Wall Light
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 7080 - 12W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 7081 - 12W - Wall Light
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 7080 - 12W - Wall Light
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 7070 - 12W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 7071 - 12W - Wall Light
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 7070 - 12W - Wall Light
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




LED Lawn Lights



AL 270 Square

Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 270 Square - Wall Light

Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

AL 270 Square - Gate Light

Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 270 Round - Bollard

Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 270 Round - Wall Light

Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

AL 270 Round - Gate Light

Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 7299 - Bollard

Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 7299 - Wall Light

Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

AL 7299 - Gate Light

Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

LED Lawn Lights



AL 177

Holder : E-27
Material : Die-casting Aluminium, PC Diffuser
Toughened Glass
Body Color: Graphite Gray



AL 177 - Wall Light

Holder : E-27
Material : Die-casting Aluminium, PC Diffuser
Toughened Glass
Body Color: Graphite Gray



AL 178

Holder : E-27
Material : Die-casting Aluminium, PC Diffuser
with Toughened Glass
Body Color: Graphite Gray



AL 178 - Wall Light

Holder : E-27
Material : Die-casting Aluminium, PC Diffuser
with Toughened Glass
Body Color: Graphite Gray



AL 909 Bollard - 12W


Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Frosted PC Diffuser
Body Color: Silver & Black



AL 909 Wall Light - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with Frosted PC Diffuser
Body Color : Graphite Gray

LED Lawn Lights



AL 1122

Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 1122 - Small Gate Light

Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray


AL 1122 - Big Gate Light

Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 1123

Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 1123 - Small Gate Light

Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

AL 1123 - Big Gate Light

Holder : E-27
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 8802-10" - Gate Light


LED: 15W
Holder: E-27
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 8802-6" - Gate Light


LED: 12W
Holder: E-27
Material: Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray

LED Lawn Lights




AL 2007 - 12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 2007 - 2x12W

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 1213

Holder: E27
Material: Die-casting Aluminium, PC Diffuser
Body Color: Granite Gray




AL 2007 - 12W - 1x12W - Wall Light

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray




AL 2007 - 2x12W - Wall Light

Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC Diffuser
Body Color: Graphite Gray



AL 2024 - 12W


Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium with Toughened Glass
Body Color: Graphite Gray



AL CRISS-CROSS
10" - 12W
20" - 18W
30" - 24W
Color Temperature : 3000K, 6000K
Material : Die-casting Aluminium,
Laser cut on Galvanised MS sheet with
PC Diffuser
Body Color : Black



AL MASE
10" - 12W
20" - 18W
30" - 24W
Color Temperature : 3000K, 6000K
Material : Die-casting Aluminium,
Laser cut on Galvanised MS sheet with
PC Diffuser
Body Color : Black



AL HONEYCOMB
10" - 12W
20" - 18W
30" - 24W
Color Temperature : 3000K, 6000K
Material : Die-casting Aluminium,
Laser cut on Galvanised MS sheet with
PC Diffuser
Body Color : Black



AL GALAXY
10" - 12W
20" - 18W
30" - 24W
Color Temperature : 3000K, 6000K
Material : Die-casting Aluminium,
Laser cut on Galvanised MS sheet with
PC Diffuser
Body Color : Black



AL ORBIT
10" - 12W
20" - 18W
30" - 24W
Color Temperature : 3000K, 6000K
Material : Die-casting Aluminium,
Laser cut on Galvanised MS sheet with
PC Diffuser
Body Color : Black



AL ZEBRA
10" - 12W
20" - 18W
30" - 24W
Color Temperature : 3000K, 6000K
Material : Die-casting Aluminium,
Laser cut on Galvanised MS sheet with
PC Diffuser
Body Color : Black



(mm)	Small	Medium	Big
Height	355	430	585
Width	155	190	265
P. Ø	50	60	75

SL 301 Gate Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Medium, Big



(mm)	Small	Medium	Big
Height	355	420	580
Width	155	190	265

SL 301 Wall Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Medium, Big



(mm)	Small	Medium	Big
Height	350	385	500
Width	195	220	265
P. Ø	50	60	75

SL 999 Gate Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Medium, Big



(mm)	Small	Medium	Big
Height	350	385	500
Width	195	220	265

SL 999 Wall Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Medium, Big



(mm)	Small	Big
Height	400	520
Width	205	295
P. Ø	60	75

SL 201 Gate Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Medium, Big



(mm)	Small	Big
Height	390	510
Width	205	295

SL 201 Wall Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Big



(mm)	Small	Big
Height	230	390
Width	140	180
P. Ø	50	60

SL 444 Gate Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Big



(mm)	Small	Big
Height	240	380
Width	140	180

SL 444 Wall Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Big



(mm)	Small	Medium	Big
Height	320	440	675
Width	210	260	320

SL 501 Gate Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Medium, Big



(mm)	Small	Medium	Big
Height	320	395	580
Width	210	260	320

SL 501 Wall Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: B-22 | Size: Small, Medium, Big



(mm)	Dimension
Height	320
Width	155
P. Ø	50

SL 7072 Gate Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Black
Holder: E-27



SL 7072 Wall Light

Material: Die-casting Aluminium with Frosted Glass
Body Color: Antique
Holder: E-27



AL 1211
Size: 12", 15", 17", 19.5", 24"



AL 1210
Size: 12", 14" 16"



AL 1010
Size : 12", 14", 16"



AL 1011



AL 1212



AL 8010



AL 8008



AL 8100



AL 1406



AL 7015



AL 7500

Wattage	Diameter	Height
12W	Ø100mm	300mm
18W	Ø100mm	450mm
24W	Ø100mm	600mm



AL 306

Wattage	Diameter	Height
5W	Ø63mm	245mm
10W	Ø76mm	270mm
15W	Ø88mm	295mm



AL 7600

Wattage	Diameter	Height
12W	Ø75mm	300mm
18W	Ø75mm	450mm
24W	Ø75mm	600mm

LED Shelf Lights



AL 555 - 3W
Material: Die-casting Aluminium with
PC Diffuser
Body Color: Black
Size : 10cm, 20cm, 30cm




SL 7072 Hanging Light






Outdoor LED Pole Lights




AL 83038 Rd. Head

LED: 50W, 100W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC
Diffuser
Body Color: Graphite Gray




AL 83038 Round Gate Light

LED: 50W, 100W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC
Diffuser
Body Color: Graphite Gray



AL 83038 Square Head


LED: 50W, 100W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC
Diffuser
Body Color: Graphite Gray



AL 83038 Square Gate Light

LED: 50W, 100W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC
Diffuser
Body Color: Graphite Gray


Outdoor LED Post Top Lights



Wattage	A	B
12W	Ø225mm	330mm
20W	Ø272mm	390mm
30W	Ø340mm	430mm
40W	Ø444mm	540mm

AL 3499

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, PC Diffuser
Body Color: Black



Wattage	A	B
12W	Ø225mm	330mm
20W	Ø272mm	390mm
30W	Ø340mm	430mm
40W	Ø444mm	540mm

AL 3488

Color Temperature : 3000K, 6000K
Material: Die-casting Aluminium, PC Diffuser
Body Color: Black




AL 83038 Round

LED: 50W, 100W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC
Diffuser
Body Color: Graphite Gray




AL 83038 Square

LED: 50W, 100W
Colour Temperature : 3000K, 6000K
Material : Die-casting Aluminium with PC
Diffuser
Body Color: Graphite Gray




CRISS-CROSS - 80W

Color Temperature : 3000K, 6000K
Material : Laser cut on Galvanised MS Sheet with PC Diffuser
Body Color: Graphite Gray




CRISS-CROSS - 40W

Color Temperature : 3000K, 6000K
Material : Laser cut on Galvanised MS Sheet with PC Diffuser
Body Color: Graphite Gray




GALAXY - 80W

Color Temperature : 3000K, 6000K
Material : Laser cut on Galvanised MS Sheet with PC Diffuser
Body Color: Graphite Gray




MASE - 40W

Color Temperature : 3000K, 6000K
Material : Laser cut on Galvanised MS Sheet with PC Diffuser
Body Color: Graphite Gray




MASE - 80W

Color Temperature : 3000K, 6000K
Material : Laser cut on Galvanised MS Sheet with PC Diffuser
Body Color: Graphite Gray




MASE - 40W

Color Temperature : 3000K, 6000K
Material : Laser cut on Galvanised MS Sheet with PC Diffuser
Body Color: Graphite Gray




HONEY COMB - 80W

Color Temperature : 3000K, 6000K
Material : Laser cut on Galvanised MS Sheet with PC Diffuser
Body Color: Graphite Gray




HONEY COMB - 40W

Color Temperature : 3000K, 6000K
Material : Laser cut on Galvanised MS Sheet with PC Diffuser
Body Color: Graphite Gray




ORBIT - 80W

Color Temperature : 3000K, 6000K
Material : Laser cut on Galvanised MS Sheet with PC Diffuser
Body Color: Graphite Gray




ORBIT - 40W

Color Temperature : 3000K, 6000K
Material : Laser cut on Galvanised MS Sheet with PC Diffuser
Body Color: Graphite Gray




AL 2545-1X30W

Color Temperature : 3000K, 6000K
Material : Die-Casting Aluminium, Metalised Reflector with Toughened Glass & Galvanised MS Pole
Body Color: Graphite Gray




AL 2545-2X30W

Color Temperature : 3000K, 6000K
Material : Die-Casting Aluminium, Metalised Reflector with Toughened Glass & Galvanised MS Pole
Body Color: Graphite Gray




AL 7711 - 30W 113mm

Color Temperature : 3000K, 6000K
Material : Galvanised MS Pole & Toughened Glass
Body Color: Graphite Gray




AL 7711 - 50W 140mm

Colour Temperature : 3000K, 6000K
Material : Galvanised MS Pole & Toughened Glass
Body Color: Graphite Gray




AL 7722 - 60W 113mm

Color Temperature : 3000K, 6000K
Material : Galvanised MS Pole, Toughened Glass with PC Diffuser
Body Color: Graphite Gray




AL 7723 - 60W 140mm

Colour Temperature : 3000K, 6000K
Material : Galvanised MS Pole, Toughened Glass with PC Diffuser
Body Color: Graphite Gray




AL 7545-2X30W + 40W Diffuser

Colour Temperature : 3000K, 6000K
Material : Die-Casting Aluminium, Metalised Reflector with Toughened Glass & Galvanised MS Pole with PC Diffuser
Body Color: Graphite Gray




AL 7545-1x30W + 40W Diffuser

Colour Temperature : 3000K, 6000K
Material : Die-Casting Aluminium, Metalised Reflector with Toughened Glass & Galvanised MS Pole with PC Diffuser
Body Color: Graphite Gray




AL 4530 - 36W

Colour Temperature : 3000K, 6000K
Material : Galvanised MS Pole with Toughened Glass
Body Color: Graphite Gray




AL 4545 - 36W

Colour Temperature : 3000K, 6000K
Material : Galvanised MS Pole with Toughened Glass
Body Color: Graphite Gray




AL 4525-2X30W

Colour Temperature : 3000K, 6000K
Material : Die-Casting Aluminium, Metalised Reflector with Toughened Glass & Galvanised MS Pole
Body Color: Graphite Gray




AL 4525-1X30W

Colour Temperature : 3000K, 6000K
Material : Die-Casting Aluminium, Metalised Reflector with Toughened Glass & Galvanised MS Pole
Body Color: Graphite Gray




AL 4565 - 60W

Colour Temperature : 3000K, 6000K
Material : Galvanised MS Pole with PC Diffuser
Body Color: Graphite Gray




ZEBRA - 40W


Colour Temperature : 3000K, 6000K
Material : Laser cut on Galvanised MS Sheet with PC Diffuser
Body Color: Graphite Gray




AL 2340 - 60W
Colour Temperature : 3000K, 6000K
Material : Galvanised MS Pole with PC Diffuser
Body Color: Graphite Gray




AL 2320 - 36W
Colour Temperature : 3000K, 6000K
Material : Galvanised MS Pole with PC Diffuser
Body Color: Graphite Gray




AL 3005 - 60W
Colour Temperature : 3000K, 6000K
Material : Galvanised MS Pole with PC Diffuser
Body Color: Graphite Gray




AL 6003 - 36W
Colour Temperature : 3000K, 6000K
Material : Galvanised MS Pole with PC Diffuser
Body Color: Graphite Gray




AL 777 40W + 60W Diffuser
Colour Temperature : 3000K, 6000K
Material : Galvanised MS, Aluminium Extruded Pole with PC Diffuser
Body Color: Graphite Gray



AL 377 - 30W
Colour Temperature : 3000K, 6000K
Material : Galvanised MS Pole
Body Color: White + Graphite Gray



AL 8899 - 36W
Colour Temperature : 3000K, 6000K
Material : Galvanised MS Pipe with Toughened Glass
Body Color: Graphite Gray



AL 9999 - 80W + 48W Diffuser
Colour Temperature : 3000K, 6000K
Material : Laser cut on Galvanised MS Sheet with PC Diffuser & Metalised Reflector and Toughened Glass
Body Color: Graphite Gray



Amase Lighting Enterprises

Office: 487 (SRS-73) National Market, Peeragarhi,
New Delhi-110087

Works: H-300-301, RIICO Industrial Area Karoli, Bhiwadi, Rajasthan
www.amaseled.com

Authorised Distributor



AEROGRAPHICS - 9212381015

