



AIR COOLERS CATALOGUE

COOLING HOMES, COMFORTING LIVES SINCE 1983

LAZER INDIA PVT. LTD.

Lazer Air Cooler

Lazer India Coolers are designed for those customers who demand the best, stylish, powerful, efficient, and innovative products. Since 1983, Lazer has been manufacturing air coolers. With the technology advancement, Lazer air cooler featured Honeycomb three-way circulation, motorized louvers, air deflection in four directions, auto valves, for tension-free water filling and uninterrupted operation on all kinds of inverter, ensuring the air quality, product durability and cool environment. Lazer India Presents a range of air coolers including Desert, Personal, Window and Industrial Air coolers with capacities ranging from 15 liters to 140 liters. Its portable design and caster wheels make it easy to move around, providing cooling wherever it is needed.

Combination of modern aesthetic and practical features, provide efficient and eco-friendly relief from the heat. Experience a breath of fresh air with Lazer Air Cooler- Where innovation meets cool comfort, setting the stage of a cooler, greener tomorrow.



Where Fresh Air Meets Innovation





DESERT AIR COOLER

PIONEER

AVAILABLE IN : 110 | 75 LITRE



Anti-Bacterial
honeycomb pad



Automatic
vertical louver
movement



43ft air
throw
distance



Power-packed
sturdy fan
motor



Large 18 inch
fan blade for
better cooling



Powerful
aerodynamic
air delivery



Fully
collapsible
louver



Cellulose
honeycomb
cooling media



Inverter
compatible



2
YEARS
Warranty
on motor



1
YEAR
Warranty
on product



ATLAS

AVAILABLE IN : 95 LITRE



Aerodynamically profiled wider blade for powerful air throw



Automatic vertical louver movement



Water level indicator



3 Speed controllers



Powerful motor for superior performance



Powerful air thrust



Thick cellulose honeycomb cooling media



55 ft air throw distance



Warranty on motor

Warranty on product

DESERT AIR COOLER

LAZER
SIMPLIFY LIVING





DESSERT AIR COOLER

ESKIMO

AVAILABLE IN : 90 | 70 LITRE



Ideal for

Indoor	Outdoor
	
	

Large cooling pads for efficient cooling

Automatic vertical louver movement

Power-packed sturdy fan motor

Multi-directional lock-type castor wheel

Powerful aerodynamic air delivery

55 ft air throw distance

Cellulose honeycomb cooling media

Hi-Gloss Polymer body

Inverter compatible

2 YEARS

1 YEAR

Warranty on motor

Warranty on product

ATLANTIC

AVAILABLE IN : 100 LITRE

DESERT AIR COOLER



Large front
grill for
more air



Automatic
vertical louver
movement



Power-packed
sturdy fan
motor



Multi-directional
lock-type castor
wheel



18" aerodynamically
profiled metal
blade




55 ft air
throw
distance



Cellulose
honeycomb
cooling media



Ice
chamber



Noiseless
cooling



Inverter
compatible



2
YEARS
Warranty
on motor



1
YEAR
Warranty
on product



LAZER
SIMPLIFY LIVING



DESERT AIR COOLER

ALPINE NEO

AVAILABLE IN : 105 | 85 LITRE

Ideal for

Indoor	Outdoor

Features:

- USB ports for mobile phone charging
- USB Led night lamp
- Automatic vertical louver movement
- Powerful aerodynamic air delivery
- 52 ft air throw distance
- Double ball bearing ball
- Power-packed sturdy fan motor
- Cellulose honeycomb cooling media

Warranty:

- Inverter compatible
- 2 YEARS Warranty on motor
- 1 YEAR Warranty on product

GLACIER NEO

AVAILABLE IN : 60 LITRE



DESERT AIR COOLER

Ideal for

Indoor

Outdoor



Cafe

Office



LED display



Automatic vertical louver movement



Power-packed sturdy fan motor



Multi-directional lock-type castor wheel



Hi-Gloss polymer body



45 ft air throw distance



Cellulose honeycomb cooling media



Inverter compatible



2
YEARS



1
YEAR

Warranty on motor

Warranty on product

DESERT AIR COOLER



HYBRID-X

AVAILABLE IN : 90 | 70 LITRE



Large cooling pads for efficient cooling



4 Way air deflection



Automatic vertical louver movement



48 ft air throw distance



Power-packed sturdy fan motor



Double ball bearing ball



Multi-directional lock-type castor wheel



Ice chamber



2 IN 1
30% chilled cooling with hybrid pads.



Inverter compatible



2 YEARS



1 YEAR

Ideal for

Indoor



Outdoor



Cafe

Office

NIMBUS


AVAILABLE IN : 90 | 70 LITRE

DESERT AIR COOLER

LAZER[®]
SIMPLIFY LIVING



- Large Ice Chamber with glass top
- Automatic vertical louver movement
- Power-packed sturdy fan motor
- Multi-directional lock-type castor wheel
- Noiseless cooling
- 55 | 45 ft air throw distance
- Fully collapsible louver
- Powerful aerodynamic air delivery
- Reverse mounted motor to protect from water damage
- Inverter compatible
- 2 YEARS** Warranty on motor
- 1 YEAR** Warranty on product





CHILLER

AVAILABLE IN : 90 | 72 LITRE

DESERT AIR COOLER

Ideal for

Indoor	Outdoor

Green cooling

Highly efficient pine wood wool cooling pads

Automatic vertical louver movement

45 ft air throw distance

Power-packed sturdy fan motor

Water level indicator

Multi-directional castor wheel

Powerful aerodynamic air delivery

Inverter compatible

2 YEARS

Warranty on motor

1 YEAR

Warranty on product

FROST NEO

AVAILABLE IN : 80 | 60 LITRE

DESERT AIR COOLER



Powerful aerodynamic air delivery



Automatic vertical louver movement



Power-packed sturdy fan motor



Multi-directional lock-type castor wheel



Noiseless cooling



45 ft air throw distance



Highly efficient pine wood wool cooling pads



Ice chamber



Inverter compatible



2
YEARS



1
YEAR

Warranty on motor
Warranty on product



MINI DESERT & PERSONAL AIR COOLERS

These compact coolers are the solution for scorching summers which provides comfort in compact spaces. Powerful aerodynamic air delivery makes it ideal for small offices and rooms. Light weight engineered plastic body and castor wheels make its movement easy and user friendly.



BUDDY

AVAILABLE IN : 60 | 40 LITRE

MINI DESERT AIR COOLER

LAZER
SIMPLIFY LIVING



Large cooling pads for efficient cooling



Automatic vertical louver movement



Power-packed sturdy fan motor



Multi-directional castor wheel



Powerful aerodynamic air delivery



23 ft air throw distance



Cellulose honeycomb cooling media



Inverter compatible



2
YEARS
Warranty on motor



1
YEAR
Warranty on product





MINI DESERT AIR COOLER

NIMBUS
AVAILABLE IN : 40 LITRE

Ideal for

Indoor	Outdoor

Features and Benefits

- Large Ice Chamber with glass top
- Noiseless cooling
- Automatic vertical louver movement
- 35 ft air throw distance
- Power-packed sturdy fan motor
- Fully collapsible louver
- Multi-directional lock-type castor wheel
- Powerful aerodynamic air delivery
- Reverse mounted motor to protect from water damage
- Inverter compatible
- Warranty on motor
- Warranty on product

2 YEARS **1 YEAR**

SNOWMAN

AVAILABLE IN : 50 | 35 LITRE



Ideal for

Indoor

Outdoor



Cafe

Office



Large Ice chamber



Automatic vertical louver movement



Power-packed sturdy fan motor



Multi-directional lock-type castor wheel



Powerful aerodynamic air delivery



USB Led night lamp



Cellulose honeycomb cooling media



25 ft air throw distance



Inverter compatible



2
YEARS

Warranty on motor



1
YEAR

Warranty on product

MINI DESERT AIR COOLER



LAZER
SIMPLIFY LIVING



PERSONAL AIR COOLER

ARCTIC NEO

AVAILABLE IN : 35 LITRE

Ideal for

Indoor	Outdoor

Features and Benefits

- Fully collapsible louver
- Powerful aerodynamic air delivery
- Automatic vertical louver movement
- Low power consumption
- Power-packed sturdy fan motor
- Cellulose honeycomb cooling media
- Multi-directional castor wheel
- 35 ft air throw distance
- Noiseless cooling
- Inverter compatible
- Warranty on motor
- Warranty on product

2 YEARS **1 YEAR**

TANGO-XL / TANGO


AVAILABLE IN : 40 | 25 | 15 LITRE

PERSONAL AIR COOLER

LAZER[®]
SIMPLIFY LIVING



TANGO-XL



Power-packed
sturdy fan
motor



Automatic
vertical louver
movement



Water
level
indicator



Cellulose
honeycomb
cooling media



Multi-directional
castor wheel
(40 L & 25 L)



26 ft | 15 ft
air throw
distance



Inverter
compatible



2
YEARS

Warranty
on motor



1
YEAR

Warranty
on product





PERSONAL AIR COOLER

MINI STORM

AVAILABLE IN : 45 LITRE

Ideal for

Indoor	Outdoor

Power-packed sturdy fan motor

Automatic vertical louver movement

Powerful air thrust

Multi-directional castor wheel

Robust construction

30 ft air throw distance

Water level indicator

Powerful aerodynamic air delivery

Inverter compatible

2 YEARS

1 YEAR

Warranty on motor

Warranty on product

WINDOW COOLER

Window air coolers are designed to cool indoor spaces by using the natural process of water evaporation. These coolers are best suited in the region of low humidity conditions where traditional air cooling might be less effective.

*Perfect solution for
Narrow space hurdle..*





WINDOW AIR COOLER

ICE NEO

AVAILABLE IN : 60 LITRE

Ideal for

Indoor	Outdoor

Features:

- Power-packed sturdy blower motor
- Powerful air thrust
- Automatic vertical louver movement
- Ice chamber
- Water level indicator
- Highly efficient pine wood wool cooling pads
- 3 Speed controllers
- 35 ft air throw distance
- Auto water refill system
- Inverter compatible
- Warranty on motor 2 YEARS
- Warranty on product 1 YEAR

ICE BERG

AVAILABLE IN : 52 LITRE



Trolley also available
at extra cost

Ideal for

Indoor

Outdoor



Cafe

Office



Power-packed
sturdy blower
motor



Automatic
vertical louver
movement



Water
level
indicator



3 Speed
controllers



Powerful
air thrust



Green
cooling



Highly efficient
pine wood wool
cooling pads



35 ft air
throw
distance



Inverter
compatible



Warranty
on motor



Warranty
on product

WINDOW AIR COOLER



COMMERCIAL AIR COOLERS





Powerful motor
for rugged
performance



Robust
construction



Powerful
air thrust



Master of the Cooling revolution..



COMMERCIAL AIR COOLER

WIND STORM 20

AVAILABLE IN : 130 LITRE

Ideal for

Indoor	Outdoor

Features:

- Aerodynamically profiled wider blade for powerful air throw
- Powerful motor for superior performance
- Robust construction
- Automatic uniform oscillation
- Water level indicator
- Thick cellulose honeycomb cooling media
- 3 Speed controllers
- 65 ft air throw distance

Warranty:

2 YEARS	1 YEAR
Warranty on motor	Warranty on product

SNOW STORM 19

AVAILABLE IN : 120 LITRE



Aerodynamically profiled wider blade for powerful air throw



Double ball bearing



Robust construction



3 Speed controllers



Powerful motor for superior performance



Powerful air thrust



Thick cellulose honeycomb cooling media



65 ft air throw distance



Uniform Oscillation



2 YEARS



1 YEAR

Warranty on motor

COMMERCIAL AIR COOLER

LAZER
SIMPLIFY LIVING





COMMERCIAL AIR COOLER

MEGA STORM 22

AVAILABLE IN : 150 | 100 LITRE



Ideal for

Indoor	Outdoor

Features and Benefits


- Aerodynamically profiled wider blade for powerful air throw**
- Powerful motor for superior performance**
- Multi-directional lock-type heavy castor wheel**
- Powerful air thrust**
- Water level indicator**
- Thick cellulose honeycomb cooling media**
- 3 Speed controllers**
- 70 ft air throw distance**
- Robust construction**
- 2 YEARS Warranty on motor**
- 1 YEAR Warranty on product**

DESERT STORM PLUS 20

AVAILABLE IN : 110 LITRE



COMMERCIAL AIR COOLER



Large cooling pads for efficiency



Multi-directional castor wheel



Robust construction



Fully collapsible louver



Powerful motor for superior performance



Powerful aerodynamic air delivery



Thick cellulose honeycomb cooling media



60 ft air throw distance

Copper & CCA motors are both available

Uniform Oscillation

2 YEARS

1 YEAR

Warranty on motor

Warranty on product



LAZER
SIMPLIFY LIVING



COMMERCIAL AIR COOLER



DESERT STORM 24

AVAILABLE IN : 130 LITRE



Aerodynamically profiled wider blade for powerful air throw



Powerful motor for superior performance



Double ball bearing



Powerful air thrust



Water level indicator



Thick cellulose honeycomb cooling media



3 Speed controllers



70 ft air throw distance



2
YEARS

Warranty on motor



1
YEAR

Warranty on product

DESERT STORM 20

AVAILABLE IN : 100 LITRE



Aerodynamically profiled wider blade for powerful air throw



Double ball bearing



Powerful motor for superior performance



Water level indicator



3 Speed controllers



Thick cellulose honeycomb cooling media



65 ft air throw distance



Warranty on motor



Warranty on product

COMMERCIAL AIR COOLER

LAZER
SIMPLIFY LIVING





THUNDER STORM 18

AVAILABLE IN : 100 LITRE



Aerodynamically profiled wider blade for powerful air throw



Powerful motor for superior performance



Double ball bearing



Powerful air thrust



Water level indicator



Thick cellulose honeycomb cooling media



3 Speed controllers



60 ft air throw distance



2
YEARS

Warranty on motor



1
YEAR

Warranty on product

HAIL STORM 17

AVAILABLE IN : 100 LITRE



SEMI COMMERCIAL AIR COOLER



Large cooling pads for efficient cooling



Multi-directional lock type castor wheel



Robust construction



3 Speed controllers



Powerful motor for superior performance



Powerful aerodynamic air delivery



Thick cellulose honeycomb cooling media



50 ft air throw distance



2
YEARS

Warranty
on motor



1
YEAR

Warranty
on product



AIRCOOLER TYPE		Desert	Desert	Desert	Desert	Desert	Desert
FEATURE	PARAMETERS	PIONEER	ATLAS	ESKIMO	ATLANTIC	ALPINE NEO	GLACIER NEO
Comfort & Controls	Mode of Operation	Manual	Manual	Manual	Manual	Manual	Manual
	Fully Collapsible Louvers	Y	Y	—	—	—	—
	Cord winding station at Rear	—	—	Y	—	Y	—
	Mosquito Net/ Dust Filter	—	—	—	—	—	—
	Timer	—	—	—	—	—	—
	Water Level Indicator	Y	Y	Y	Y	Y	Y
	Remote	—	—	—	—	—	—
	USB Charger	—	—	—	—	Y	—
	Night Lamp	—	—	—	—	Y	—
	Castor Wheel	Y	Y	Y	Y	Y	Y
	Inverter Compatible	Y	Y	Y	Y	Y	Y
	Cooling Media	Honeycomb (3 Side)	Honeycomb (3 Side)	Honeycomb (3 side)	Honeycomb (3 side)	Honeycomb (3 side)	Honeycomb (3 side)
	3-Speed Control	Y	Y	Y	Y	Y	Y
	Auto Swing	Y	Y	Y	Y	Y	Y
	Ice Chamber	—	—	—	Y	Y	Y
	Auto Water Refill System	—	—	Y	Y	—	Y
	Air Deflection	4 Way	4 Way	4 Way	4 Way	4 Way	4 Way
	Vertical Louver Movement	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised
	Horizontal Louver Movement	Manual	—	Manual	Manual	Manual	Manual
Technical	Tank Capacity (L)	75 Ltr. / 110 ltr.	95 Ltr.	90/ 70 Ltr.	100 Ltr.	105 / 85 Ltr.	60 Ltr.
	Mode of Air Circulation	Fan	Fan	Fan	Fan	Fan	Fan
	Fan Blade Material	Plastic (ABS Black)	Plastic (PP Glass Fill)	Plastic (PP)	Metal	Plastic (ABS)	Plastic
	Fan Blade/ Blower Size (in Inch)	18	17	16	18	16	16
	Rated Voltage	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50 Hz	230V/50Hz
	Rated Power (W)	200 W	220 W	200 W	200 W	200W	200W
	Speed (RPM)	1350	1350	1350	1350	1400	1350
	Motor type	TOP	TOP	Non TOP	Non TOP	TOP	Non TOP
	Fan Motor Capacitor	4 Mfd	4 MFD	5 MFD	5.0 MFD	5.0 MFD	5.0 MFD
	Fan Motor Rotation	Anti-Clockwise	Clockwise	Clockwise	Anti-Clockwise	Clockwise	—
	Air Delivery (m3/h)	5800 (m3/h)	5200 (m3/h)	5400 (m3/h)	6000 (m3/h)	4900 (m3/h)	4500 (m3/h)
	Air Throw Distance (Ft)	43 Ft.	55 Ft	55 Ft.	55 Ft.	52 Ft.	45 Ft.
	Pump Type	Concield with TOP	Concield with TOP	Non Concield with TOP	Non Concield Non TOP	Concield with TOP	Concield Without TOP
	Pump Watt (W)	20 W	16 W	18 W	18 W	16 W	16 W
	Product Dimension (In mm)	Length	650	—	660	680	640
		Width	480	—	510	540	500
		Height	1200 /1340	—	1230/ 1130	1240	1270 /1220
Warranty	Product Warranty	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months
	Fan / Blower Motor Warranty	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months

#WARRANTY

This LAZER Air Cooler is fully warranted against any defect arising out of defective materials or faulty workmanship for a period of 12 months on product from the dated of purchase. An additional 12 months warranty on fan motor shall also be provided on successful warranty registration of product by scanning the QR Code available on product / warranty card / box. In case of any defect, do make a call on our, Customer care Help-line No.: 011-40237777 and we will send our engineer at your place for repairing. The warranty is valid only when:

- The appliance has been installed, used and maintained in accordance with the instruction manual.
- The warranty card and cash memo are filled and duly signed by the authorized dealer and are presented with the complaint
- The appliance has not been opened and tampered with, by any unauthorized person.

This warranty does not apply for:

Damages due to chipping, peeling, plating and denting.

Breakage or damage to components made out of Bakelite, Urea, ABS, SAN and such plastic materials, rubber parts and cord. Normal wear and tear of parts.

Change in factory settings of the product.

Damage resulting from accident, mishandling or negligence on part of the customer. Serial No. is deleted or altered on the product.

Fire, flood and other acts of god.

AIRCOOLER TYPE		Desert	Desert	Desert	DESERT	MINI DESERT	MINI DESERT
FEATURE	PARAMETERS	HYBRID X	NIMBUS	Chiller	Frost Neo	BUDDY	NIMBUS
Comfort & Controls	Mode of Operation	Manual	Manual	Manual	Manual	Manual	Manual
	Fully Collapsible Louvers	—	Y	—	—	Y	Y
	Cord winding station at Rear	—	—	—	—	—	—
	Mosquito Net/ Dust Filter	—	—	—	—	—	—
	Timer	—	—	—	—	—	—
	Water Level Indicator	Y	Y	Y	Y	Y	Y
	Remote	—	—	—	—	—	—
	USB Charger	—	—	—	—	—	—
	Night Lamp	—	—	—	—	—	—
	Castor Wheel	Y	Y	Y	Y	Y	Y
	Inverter Compatible	Y	Y	Y	Y	Y	Y
	Cooling Media	Honeycomb & Woodwool (3 side)	Honeycomb (3 side)	WOOD WOOL(3 SIDE)	Woodwool (3 side)	Honeycomb (3 Side)	Honeycomb (3 side)
	3-Speed Control	Y	Y	Y	Y	Y	Y
	Auto Swing	Y	Y	Y	Y	Y	Y
	Ice Chamber	Y	Y	—	Y	—	Y
	Auto Water Refill System	—	—	—	—	—	—
Technical	Air Deflection	4 Way	4 Way	4 way	4 Way	4 Way	4 Way
	Vertical Louver Movement	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised
	Horizontal Louver Movement	Manual	Manual	Manual	Manual	Manual	Manual
	Tank Capacity (L)	90 / 70 Ltr.	70/90 Ltr.	72 Ltr. /90 Ltr.	60 Ltr. /80 Ltr.	40 Ltr. /60 Ltr.	40 Ltr.
	Mode of Air Circulation	Fan	Fan	Fan	Fan	Fan	Fan
	Fan Blade Material	Plastic (ABS)	Plastic (PP)	Plastic	Plastic (ABS Black)	Plastic (ABS Black)	Plastic (PP)
	Fan Blade/ Blower Size (in Inch)	16	16 /17	16	15	14	11
	Rated Voltage	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50HZ	230V/50Hz
	Rated Power (W)	200W	1	200 W	200 w	140 W	130
	Speed (RPM)	1350	1	1350	1350	1400	2350
	Motor type	TOP	TOP/TOP	Non TOP	Non TOP	TOP	Non TOP
	Fan Motor Capacitor	5.0 MFD	3.0/5.0 MFD	5 Mfd	5.0 MFD	2.5 MFD	2.5 MFD
	Fan Motor Rotation	Clockwise	Clockwise	Clockwise	Clockwise	Anti-Clockwise	Anti-Clockwise
	Air Delivery (m3/h)	4600 (m3/h)	4500/5200 (m3/h)	4500 (m3/h)	3800 (m3/h)	3000 (m3/h)	3000(m3/h)
	Air Throw Distance (Ft)	48 Ft.	45Ft./55 Ft.	45 Ft.	45 Feet	23 Ft.	35Ft.
	Pump Type	Concield with TOP	Concield with TOP/Concield with TOP	Non Concealed	Non Concield Non TOP	Concield with TOP	Non Concield with TOP
	Pump Watt (W)	16 W	14/16 W	18 W	18 W	16 W	14 W
	Product Dimension (In mm)	Length	640	570/590	620	610 / 610	530 / 500
		Width	480	390/485	420	530 / 530	380 / 350
		Height	1220 / 1100	1160	1160	1010 / 1090	1030 / 1160
Warranty	Product Warranty	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months
	Fan / Blower Motor Warranty	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months

Terms & Conditions

- The company will not be responsible for any delay in servicing due to non-availability of any components or due to reasons beyond the control of the company.
- Any failure of the product to perform any purpose other than the intended purpose shall not be considered as a default under this warranty.
- Liability for consequential loss or damage is neither accepted nor implied.
- In any event, if the company becomes liable for damages incurred in connection with this agreement, then the liability of the company will be limited to the amount equal to the sale invoice amount paid by the customer.
- A Class Components (Motor, Pump, Swing Motor or PC will be covered under warranty Plastic & Aesthetic Parts will not be covered under warranty
- Warranty Registration is mandatory to avail warranty Service
- LAZER models has warranty of 12 month from the date of purchase (tax invoice & proper documents are necessary to avail warranty)
- Dealers or retailer should issues tax invoice with set serial number mentioned on it, to the customer and the warranty card should be filled correctly to avail hassle free service to the customer. Delivery challan, hand written memo, etc will not be considered. any discrepancy in the above documents will result in void of warranty.
- The copy above documents has to provide to the service engineer during complaint visit, failing to do so will be entertained as out warranty. Tampered set serial number on the product or warranty card misplaced will not be considered as in warranty.
- In case of non availability of spares at respective ASC has to follow up with their respective ASI & VASAI

AIRCOOLER TYPE		MINI DESERT	Personal	Personal	Personal	Window	Window	Commercial
FEATURE	PARAMETERS	SNOWMAN	Arctic Neo	Tango	Mini Strom	ICE Neo	ICEBERG	Wind Strom 20
Comfort & Controls	Mode of Operation	Manual	Manual	Manual	Manual	Manual	Manual	Manual
	Fully Collapsible Louvers	—	—	—	—	—	—	—
	Cord winding station at Rear	—	—	—	—	Y	—	—
	Mosquito Net/ Dust Filter	—	—	—	—	—	—	—
	Timer	—	—	—	—	—	—	—
	Water Level Indicator	Y	Y	Y	Y	Y	Y	Y
	Remote	—	—	—	—	Y	—	—
	USB Charger	Y	—	—	—	—	—	—
	Night Lamp	Y	—	—	—	—	—	—
	Castor Wheel	Y	Y	Y	Y	—	—	Y
	Inverter Compatible	Y	Y	Y	Y	Y	Y	—
	Cooling Media	Honeycomb (3 side)	Honeycomb (3 side)	Honeycomb (3 side)	Honeycomb(1side)	Woodwool (3 side)	Woodwool (3 Side)	Honeycomb (1 side)
	3-Speed Control	Y	Y	Y	Y	Y	Y	Y
	Auto Swing	Y	Y	Y	Y	Y	Y	Y
	Ice Chamber	Y	Y	Y	—	Y	—	—
	Auto Water Refill System	—	Y	—	—	Y	—	Y
	Air Deflection	4 Way	4 Way	4 Way	4 way	4 Way	4 Way	4 Way
Technical	Vertical Louver Movement	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised
	Horizontal Louver Movement	Manual	Manual	Manual	—	Manual	Manual	Manual
	Tank Capacity (L)	35 Ltr./50 Ltr.	35 Ltr.	15 Ltr./25 Ltr. /40 Ltr.	45 Ltr.	60 Ltr.	52 Ltr.	130 Ltr.
	Mode of Air Circulation	Fan	Fan	Fan	Fan	Blower	Blower	Fan
	Fan Blade Material	Plastic (ABS Black)	Plastic	Plastic (ABS Black)	Plastic (PPCP)	Plastic (PP Natural)	Plastic (PP Natural)	Metal
	Fan Blade/ Blower Size (in Inch)	12	12	9 12	12	8	8	20
	Rated Voltage	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz
	Rated Power (W)	110 W	100W	85 W / 125 W	110W	220 W	220 W	350 W
	Speed (RPM)	2600	1400	2500 RPM / 2300	2500	1350	1250	1350
	Motor type	TOP	Non TOP	Non TOP	Non TOP	Non TOP	TOP	Non TOP
	Fan Motor Capacitor	2.5 MFD	3 MFD	2.50 MFD/3 MFD	3 MFD	6.0 MFD	6 MFD	10.0 MFD
	Fan Motor Rotation	Clockwise		Clockwise	Clockwise	Clockwise	Anti - Clockwise	Anti - Clockwise
	Air Delivery (m3/h)	2600 (m3/h)	2400 (m3/h)	1300 (m3/h) 2300 (m3/h)	2300 (m3/h)	2000 (m3/h)	2000 (m3/h)	9000 m3 / Hr
	Air Throw Distance (Ft)	25 Ft.	35 Ft.	15 Ft. / 26 Ft.	30 Ft.	35 Ft.	35 Ft.	65 Ft.
	Pump Type	Concield with TOP	Concield Without TOP	Non Concield Non TOP	Non Concield Non TOP	Non Concield Non TOP	Non Concield with TOP	Non Concield Non TOP
	Pump Watt (W)	10 W	12 W	6W / 9 W	14 W	12 W	14 W	20 W
	Product Dimension (In mm)	Length	440	505	335/360/460	485	630	680
		Width	420	375	300/300/357	405	660	600
		Height	700	850	576/770/900	1020	580	560
Warranty	Product Warranty	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months
	Fan / Blower Motor Warranty	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months

#WARRANTY

This LAZER Air Cooler is fully warranted against any defect arising out of defective materials or faulty workmanship for a period of 12 months on product from the dated of purchase. An additional 12 months warranty on fan motor shall also be provided on successful warranty registration of product by scanning the QR Code available on product / warranty card / box. In case of any defect, do make a call on our, Customer care Help-line No.: 011-40237777 and we will send our engineer at your place for repairing. The warranty is valid only when:

- The appliance has been installed, used and maintained in accordance with the instruction manual.
- The warranty card and cash memo are filled and duly signed by the authorized dealer and are presented with the complaint
- The appliance has not been opened and tampered with, by any unauthorized person.

This warranty does not apply for:

Damages due to chipping, peeling, plating and denting.

Breakage or damage to components made out of Bakelite, Urea, ABS, SAN and such plastic materials, rubber parts and cord. Normal wear and tear of parts.

Change in factory settings of the product.

Damage resulting from accident, mishandling or negligence on part of the customer. Serial No. is deleted or altered on the product.

Fire, flood and other acts of god.

AIRCOOLER TYPE		Commercial	Commercial	Commercial	Commercial	Commercial	Semi Commercial	Semi Commercial
FEATURE	PARAMETERS	Snow Storm	Mega Storm 22	Desert Strom Plus	Desert Strom 24	Desert Strom 20	Thunder Strom 18	Hail Strom
Comfort & Controls	Mode of Operation	Manual	Manual	Manual	Manual	Manual	Manual	Manual
	Fully Collapsible Louvers	Y	—	—	—	—	—	—
	Cord winding station at Rear	Y	—	—	—	—	—	—
	Mosquito Net/ Dust Filter	—	—	—	—	—	—	—
	Timer	—	—	—	—	—	—	—
	Water Level Indicator	Y	Y	Y	Y	Y	Y	Y
	Remote	—	—	—	—	—	—	—
	USB Charger	—	—	—	—	—	—	—
	Night Lamp	—	—	—	—	—	—	—
	Castor Wheel	Y	Y	Y	Y	Y	Y	Y
	Inverter Compatible	Y	—	—	—	—	—	—
	Cooling Media	Honeycomb(3side)	Honeycomb (1 side)	Honeycomb (1 side)	Honeycomb (1 side)	Honeycomb (1 side)	Honeycomb (1 side)	Honeycomb(1side)
	3-Speed Control	Y	Y	Y	Y	Y	Y	Y
	Auto Swing	Y	—	Y	—	—	Y	Y
	Ice Chamber	Y	—	—	—	—	—	—
	Auto Water Refill System	Y	—	—	—	—	Y	—
	Air Deflection	4 way	1 Way	4 Way	1 Way	1 Way	4 Way	1 Way
	Vertical Louver Movement	Motorised	—	Motorised	—	—	Motorised	—
	Horizontal Louver Movement	Manual	—	Manual	—	—	Manual	—
Technical	Tank Capacity (L)	120 Ltr.	100 Ltr. / 150 Ltr.	110 Ltr.	130 Ltr.	100 Ltr.	100 Ltr.	100 Ltr.
	Mode of Air Circulation	Fan	Fan	FAN	FAN	FAN	FAN	Fan
	Fan Blade Material	Plastic (ABS)	Metal	Plastic (ABS Black)	Plastic (ABS Black)	Plastic (ABS Black)	Plastic (ABS Black)	Metal
	Fan Blade/ Blower Size (in Inch)	19	22	20	24	20	18	17
	Rated Voltage	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz	230V/50Hz
	Rated Power (W)	300 W	360 W	380 W	530 W	380 W	110 W	250W
	Speed (RPM)	1350	1350	1350	1200	1350	1350	1350
	Motor type	Non TOP	TOP	Non TOP	Non TOP	Non TOP	Non TOP	Non TOP
	Fan Motor Capacitor	8 MFD	10 MFD	8.0 MFD	12.5 MFD	8.0 MFD	5 MFD	5 MFD
	Fan Motor Rotation	Anti - Clockwise	Anti - Clockwise	Anti - Clockwise	Anti - Clockwise	Anti - Clockwise	Clockwise	Anti - Clockwise
	Air Delivery (m3/h)	8500 (m3/h)	11000 m3 / Hr	7700 m3/h	14000 (m3/h)	7700 m3/h	6500 m3/h	5400 (m3/h)
	Air Throw Distance (Ft)	65 Ft.	70 Ft.	60 Ft.	70 Ft.	65 Ft.	60 Ft.	50 Ft.
	Pump Type	Non Concield Non TOP	Non Concield with TOP	Non concseald WITH TOP	Non concseald WITH TOP	Non concseald WITH TOP	Non Concield Non TOP	Non Concield Non TOP
	Pump Watt (W)	20 W	20 W	18 W	18 W	18 W	18 W	18 W
	Product Dimension (In mm)	Length	820	870	810	960	810	680
		Width	510	640	540	530	540	515
		Height	1320	1440/1515	1385	1440	1385	1335
Warranty	Product Warranty	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months
	Fan / Blower Motor Warranty	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months	24 Months

Terms & Conditions

- The company will not be responsible for any delay in servicing due to non-availability of any components or due to reasons beyond the control of the company.
- Any failure of the product to perform any purpose other than the intended purpose shall not be considered as a default under this warranty.
- Liability for consequential loss or damage is neither accepted nor implied.
- In any event, if the company becomes liable for damages incurred in connection with this agreement, then the liability of the company will be limited to the amount equal to the sale invoice amount paid by the customer.
- A Class Components (Motor, Pump, Swing Motor or PC will be covered under warranty Plastic & Aesthetic Parts will not be covered under warranty
- Warranty Registration is mandatory to avail warranty Service
- LAZER models has warranty of 12 month from the date of purchase (tax invoice & proper documents are necessary to avail warranty)
- Dealers or retailer should issues tax invoice with set serial number mentioned on it, to the customer and the warranty card should be filled correctly to avail hassle free service to the customer. Delivery challan, hand written memo, etc will not be considered. any discrepancy in the above documents will result in void of warranty.
- The copy above documents has to provide to the service engineer during complaint visit, failing to do so will be entertained as out warranty. Tampered set serial number on the product or warranty card misplaced will not be considered as in warranty.
- In case of non availability of spares at respective ASC has to follow up with their respective ASI & VASAI

FRUIT JUICE
INSTANTLY



Easy to slide,
non-sticky glide



Simplify Your
Kitchen Life!



Enjoy Perfect Rice
Every time



Efficiency at Your Fingertips
Power Up, Save on Precision



WARMING HOME SINCE 1983

YOUR WIDEST CHOICE IN COMFORT



MORE THAN JUST A
GEYSER
it's a lifestyle



Your Cooling
Comfort







LAZER®

▪ SIMPLIFY LIVING



Scan to download
e-catalogue



LAZER INDIA (P) LTD.

Admin. Office:43, Rajasthani Udyog Nagar
(Ground Floor), New Delhi-110033
+91-11 43970000
www.lazerindia.com

FOR TRADE ENQUIRIES

Tel: +91 11 43970000
E-mail: sales@lazerindia.com

FOR CUSTOMER CARE

011 - 40 23 7777 (Helpline No.)
+91 920 580 53 68 (Whatsapp)
E-mail: customercare@lazerindia.com

The Trusted Name in
Quality Products Since 1983

For more product details, demo and
troubleshooting follow us :

- www.facebook.com/LazerSimplifyLiving
- www.twitter.com/lazer_india
- www.pinterest.com/Lazer_India
- www.instagram.com/lazer_india
- www.youtube.com/LazerIndia
- www.linkedin.com/company/lazerindia



DOOR STEP[®]
SERVICE

Note: Kindly note that photographs shown here are indicative. Due to continuous improvements, the actual product at the time of supply may differ from the details given herein. Vardhman Group/Lazer India (P) Ltd.
reserves the right to make changes in Data/Details without any prior notice.

T&C APPLY